

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: September 2018

Void After: September 2019

Product: Suction Fittings

File No. SP-5066

Issued To: Custom Molded Products
36 Herring Rd
Newnan, GA 30265

Identification: Fittings shall be permanently marked as follows in a manner so as to be visible after installation in the following sequence (1)the statement "For Single or Multiple Drain Use Only", "For Single Drain Use", or "For Multiple Drain Use only" (2)maximum flow rate (3)type of fitting (4)life of the fitting in years (5)Installation position (6)Manufacturers name or requested trademark and (7)model designation and the USPC certification mark®.

Characteristics: Suction fittings for use in swimming pools, wading pools, spas, hot tubs, and other aquatic facilities.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Swimming Pool, Spa and Hot Tub Code (USPC®)

International Swimming Pool & Spa Code (ISPSC®)


Chairman, Product Certification Committee


CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.





IAPMO RESEARCH AND TESTING, INC.
CERTIFICATE OF LISTING

Void After: September 2019

Product: Suction Fittings

File No. SP-5066

Issued To: Custom Molded Products

Products are in compliance with the following standard(s):

ANSI/APSP-16 2011



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2019

Product: Suction Fittings

File No. SP-5066

Issued To: Custom Molded Products

MODELS:

25201-2XX (170 gpm)
25200-110-000 Suction nozzle body (2 "interpolation) (white) - New mold
25200-040-010 Tapered Nut (White)
25200-031-000 170GPM water tyrants suction nets (gray)
26210-307-935 Suction pad 104.5 * 83.5 (translucent)
26210-886-040 L-type gasket 108 * 86 * 4 (translucent)
25200-037-000 170GPM water tyrants suction net cover (carbon gray)

25207-7XX (50 gpm) Equalizer
25207-020-000 112GPM Water Shield Cover (White)
25207-700-010 2 "self-adjusting body (white)

25207-8XX (50 gpm) Equalizer
25207-020-000 112GPM Water Shield Cover (White)
25207-800-010 1.5 "NPT thread body (white)

25508-09XL 9" x 9" Square Pool Drain (120 GPM)
25508-090-010 Drain (9"x 9")white
25508-090-020 Outer frame (9 "*" 9", white)

25508-12XL 12" x 12" Square Pool Drain (232 GPM)
25508-120-011 Cover (white)
25508-120-020 Frame (white)

25508-18XL 18" x 18" frame with four 9" x 9" Square Pool Drains (424 gpm)
25508-180-020 Frame(18 * 18 ", white)
25508-090-010 Drain (9 "*" 9", white)

25513-25X 2.5in VGB Gunite Pool Main Drain Assembly, Classic Style Cover
(25539-700-010), 2.5" ports, (60 GPM)
25513-250-020 2.5 "VGB cement pool drain plug (white)
25513-250-010 2.5 "VGB Cement Swimming Pool Body (White)

25539-700-010 New W-Style Pool Diving Cover (White)

25513-30X 3in VGB Gunite Pool Main Drain Assembly, Classic Style Cover
(25539-700-010), 3" ports, (60 GPM)
25513-300-010 3 "VGB concrete swimming pool diving body (white)
25513-300-020 3 "VGB cement pool drain plug (white)
25539-700-010 New W-Style Pool Diving Cover (White)

25539-70X With Mud Ring (60 GPM)
25539-700-010 New W-Style Pool Diving Cover (White)
25539-000-020 WW Swimming Pool Anti-Vortex Base (White)
25539-700-011 VGB 7-3 / 4 "Classic Swimming Pool Diving Cover
(2011 models, white)

25539-80X With Mud Ring (60 GPM)
25539-700-010 New W-Style Pool Diving Cover (White)
25539-100-010 Box (white)



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2019

Product: Suction Fittings

File No. SP-5066

Issued To: Custom Molded Products

25548-70X With Mud Ring (60 GPM)
25539-700-010 New W-Style Pool Diving Cover (White)
25532-800-000 Pressure ring (white)

25513-70X With Sump and Two 2" Threaded Outlets (60 GPM)
25539-700-010 New W-Style Pool Diving Cover (White)
25513-010-010 Body (White)
25520-050-010 2 "Plug body (white)

25513-80X With Sump and Two 2" Pipe Outlets (60 GPM)
25539-700-010 New W-Style Pool Diving Cover (White)
25513-010-010 Body (White)
25520-050-010 2 "Plug body (white)

25515-70X With Sump and Two 2" Pipe Outlets (60 GPM)
25515-010-010 Bottom outlet body (2 exit, inner circle without step, type A)
(white)
25520-020-000 Octagonal Nuts (2 "to 1.5" Threaded) (White)
25520-040-000 Plug (1.5 "external thread) (white)
25539-700-010 New W-Style Pool Diving Cover (White)
25532-800-000 Pressure ring (white)
25515-000-011 Flat washer (translucent)

25516-25X 2.5in VGB Gunitite Pool Main Drain Assembly, Classic Style Cover
25516-250-010 2.5 "interpolation interface lengthened concrete pool drowning body
(white)(25539-700-010), 2.5" ports, with Extension Collar (60 GPM)

25516-30X 3in VGB Gunitite Pool Main Drain Assembly, Classic Style Cover
25516-300-010 3 "Plug Interface Lengthened Cement Pool Body (White)

(25539-700-010), 3" ports, with Extension Collar (60 GPM)

25516-70X With Sump and Two 2" Pipe Outlets (60 GPM)
25516-000-010 Body (White)
25539-700-010 New W-Style Pool Diving Cover (White)
25520-050-010 2 "Plug body (white)
25516-000-020 Connecting ring (white)

25517-70X With Sump and Two 1-1/2" Pipe Outlets (60 GPM)
25518-001-010 Bottom double outlet pool sink body (gray)
25539-701-010 New W-type Pool Diving Cover (Gray)

25506-32X-XXXV 32" Channel Drain (2.5" Outer Ports = 308 GPM Floor & 212 GPM Wall;
2" Outer Ports = 268 GPM Floor & 192 GPM Wall; 2.5" Center Port = 200 GPM Floor
& 168 GPM Wall; 2" Center Port = 184 GPM Floor & 176 GPM Wall)
25520-050-020 2 "plug (white)
25506-320-010 32 "Long Swimming Pool Water Body (White)



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2019

Product: Suction Fittings

File No. SP-5066

Issued To: Custom Molded Products

25506-320-020 32 "Long Strip Swimming Pool Drainage Grill (White)
25506-324-030 32 "Long Swimming Pool Drain Protection Cover (Black)
25506-320-040 Blocking (white)
25506-320-151 Tunnel Extension Ring (White)
25506-320-510 Swimming pool water pump connector body
25506-320-120 32 "long strip pool frame holder (white)
25506-320-110 32 "Long Strip Pool Fountain Frame (White)

25513 -4XX Gunitite Pool Main Drain Assembly, Nova Style Cover (25539 - 700 -011), 2.5"
ports 1.5" = 118GPM (wall) / 140GPM (floor), 2" = 118 GPM (wall) / 150GPM (floor)
25513-300-010 3 "VGB cement pool body (white)
25513-300-020 3 "VGB Pool drain cement plug (white)
25539-700-011 VGB 7-3 / 4 "classic drowning pool cover (2011, white)

25513 -5XX With sump and two 2" threaded outlets 1.5" = 118GPM (wall) / 140GPM (floor),
2" = 118 GPM (wall) / 150GPM (floor)
25513-010-010 Body (White)
25520-050-010 2 "Plug body (white)
25539-700-011 VGB 7-3 / 4 "classic drowning pool cover (2011, white)

25513 -6XX With sump and two 2" Pipe Outlets 1.5" = 118GPM (wall) / 140GPM (floor),
2" = 118 GPM (wall) / 150GPM (floor)
25513-010-010 Body (White)
25520-050-010 2 "Plug body (white)
25539-700-011 VGB 7-3 / 4 "classic drowning pool cover (2011, white)

25513 -26X Gunitite Pool Main Drain Assembly, Nova Style Cover (25539 - 700 -011),
2.5" ports 1.5" = 118GPM (wall) / 140GPM (floor), 2" = 118 GPM (wall) /
150GPM (floor)
25513-250-020 2.5 "VGB cement pool drain plug (white)
25513-250-010 2.5 "VGB Cement Swimming Pool Body (White)
25539-700-011 VGB 7-3 / 4 "classic drowning pool cover (2011, white)

25516 -5XX With Sump and Two 2" Pipe Outlets 1.5" = 118GPM (wall) / 140GPM (floor),
2" = 118 GPM (wall) / 150GPM (floor)
25516-000-010 Body (White)
25539-700-011 VGB 7-3 / 4 "classic drowning pool cover (2011, white)
25520-050-010 2 "Plug body (white)
25516-000-020 Connecting ring (white)

25516 -26X Gunitite Pool Main Drain Assembly, Nova Style Cover (25539- 700 -011),
2.5" port with Extension Collar 1.5" = 118GPM (wall) / 140GPM (floor), 2" =
118 GPM (wall) / 150GPM (floor)

25516 -4XX Gunitite Pool Main Drain Assembly, Nova Style Cover (25539- 700 -011),



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2019

Product: Suction Fittings

File No. SP-5066

Issued To: Custom Molded Products

3" port with Extension Collar 1.5" = 118GPM (wall) / 140GPM (floor), 2" = 118 GPM (wall) / 150GPM (floor)
25539-700-011 VGB 7-3 / 4 "classic drowning pool cover (2011, white)
25513-300-020 3 "VGB Pool drain cement plug (white)
25516-000-020 Connecting ring (white)
25516-300-110 3 "plug-in connection cement pool body (white)

25517 -5XX With Sump and Two 1 -1/2" Pipe Outlets 1.5" = 118GPM (wall) / 140GPM (floor), 2" = 118 GPM (wall) / 150GPM (floor)
25539-700-011 VGB 7-3 / 4 "classic drowning pool cover (2011, white)
25518-001-010 Bottom double outlet pool sink body (gray)

25539 -5XX With mud ring) 1.5" = 118GPM (wall) / 140GPM (floor), 2" = 118 GPM (wall) / 150GPM (floor)
25539-000-020 WW Swimming Pool Anti-Vortex Base (White)
25539-700-011 VGB 7-3 / 4 "Classic Swimming Pool Diving Cover (2011 models, white)

25539 -6XX With mud ring 1.5" = 118GPM (wall) / 140GPM (floor), 2" = 118 GPM (wall) / 150GPM (floor)
25539-100-010 Box (white)
25539-700-011 VGB 7-3 / 4 "Classic Swimming Pool Diving Cover (2011 models, white)

8- inch size cover: Galaxy

25514 -00X With sump and two 2" threaded outlets (95 GPM floor / 84 GPM wall)
25520-050-010 2 "Plug body (white)
25507-100-010 Cement fell into the pool - cover (White) - (WO-0559C)
25514-000-020 Cement pool drain body (white)

25519 -00X With sump and two 2" threaded outlets (95 GPM / 84 GPM wall)
25507-100-010 Cement fell into the pool - cover (White) - (WO-0559C)
25519-010-010 Bottom outlet body (2 exits, with internal step B) (White)
25520-020-000 Octagonal nut (2 "-1.5" thread work)
25520-040-000 Plug (1.5 "external thread) (white)

25531-00X With mud ring (95 GPM / 84 GPM wall)
25507-100-010 Cement fell into the pool - cover (White) - (WO-0559C)
25530-000-010 L-bottom ring (with lettering) (White) - (on the old interface plus lettering)

25537-00X With mud ring (95 GPM / 84 GPM wall)
25507-100-010 Cement fell into the pool - cover (White) - (WO-0559C)
25536-020-000 Flat ring (white with lettering)

25548 -00X With mud ring (95 GPM / 84 GPM wall)
25507-100-010 Cement fell into the pool - cover (White) - (WO-0559C)
25532-800-000 Pressure ring (white)



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2019

Product: Suction Fittings

File No. SP-5066

Issued To: Custom Molded Products

7-3/4 inch size cover: Galaxy

25513 -00X With sump and two 2" threaded outlets (95 GPM / 84 GPM wall)
25507-000-010 7-3 / 4 "anti-vortex pool cover (white)
25516-000-010 Body (White)
25520-050-010 2 "Plug body (white)

25513 -10X With sump and two 2" pipe outlets (95 GPM / 84 GPM wall)
25507-000-010 7-3 / 4 "anti-vortex pool cover (white)
25516-000-010 Body (White)
25520-050-010 2 "Plug body (white)

25515 -00X With sump and two 2" threaded outlets (95 GPM / 84 GPM wall)
25515-010-010 Bottom outlet body (2 exit, inner circle without step, type A) (white)
25520-020-000 Octagonal Nuts (2 "to 1.5" Threaded) (White)
25520-040-000 Plug (1.5 "external thread) (white)
25507-100-010 Cement fell into the pool - cover (White) - (WO-0559C)
25532-800-000 Pressure ring (white)
25515-000-011 Flat washer (translucent)

25516 -00X With sump and two 2" threaded outlets (95 GPM / 84 GPM wall)
25516-000-010 Body (White)
25507-000-010 7-3 / 4 "anti-vortex pool cover (white)
25520-050-010 2 "Plug body (white)
25516-000-020 Connecting ring (white)

25539 -00X With mud ring (95 GPM / 84 GPM wall)
25507-000-010 7-3 / 4 "anti-vortex pool cover (white)
25539-000-020 WW Swimming Pool Anti-Vortex Base (White)
25539-000-020 WW anti-vortex pool base (white)

25515-5xx Nova cover with Sump and Two 2" Pipe Outlets, 1.5" = 118GPM (wall) / 140GPM (floor), 2" = 118 GPM (wall) / 150GPM (floor)
25515-010-010 Bottom outlet body (2 exit, inner circle without step, type A) (white)
25520-020-000 Octagonal Nuts (2 "to 1.5" Threaded) (White)
25520-040-000 Plug (1.5 "external thread) (white)
25539-700-011 VGB 7-3 / 4 "Classic Swimming Pool Diving Cover (2011 models, white)
25532-800-000 Pressure ring (white)
25515-000-011 Flat washer (translucent)

25548-5XX Nova cover with mud ring, 1.5" = 118GPM (wall) / 140GPM (floor), 2" = 118 GPM (wall) / 150GPM (floor)

25539-7xx-011 Nova Cover only, 1.5" = 118GPM (wall) / 140GPM (floor), 2" = 118 GPM (wall) / 150GPM (floor)



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: September 2019

Product: Suction Fittings

File No. SP-5066

Issued To: Custom Molded Products

25539-700-011 VGB 7-3 / 4 "Classic Swimming Pool Diving Cover (2011 models, white)

X = Color

0 = White

1 = Medium Gray

4 = Black

7 = Dark Gray

8 = Gold

9 = Custom (Tan, Blue, Clear)