

BATH
PRODUCTS

2015

THE ALL NEW C-M-P.COM



EVERY CMP PRODUCT ONLINE
QUICK CUSTOMER SERVICE ACCESS
MOBILE DEVICE COMPATIBLE

TABLE OF CONTENTS

Customer Support 6

Color Reference 7

BATH JET COLLECTIONS 9

SÖL SERIES JETS 10

TECH SERIES JETS 17

ECON SERIES JET 22

BATH SERIES JETS 28

MINI JETS 31

CARESSE SYSTEM 36

BATH EQUIPMENT 41

NEXXUS PUMPS 42

NEXXUS DH HEATERS 46

NEXXUS AIR BLOWERS 47

CONTROL VALVES & BUTTONS 49

AIR CONTROLS 50

TOP MOUNT VALVES 54

SIDE MOUNT VALVES 55

WHITE GOODS 57

SUCTIONS 58

FITTINGS 62

UNIONS & CHECK VALVES 63

BATH MANIFOLDS 64

FLEX HOSE & TUBING 65

BATH ACCESSORIES 67

BATHTUB FEET 68

SHOWER ACCESSORIES 69

AROMA & CHROMATHERAPY 70

ADA GRAB BARS & SHOWER SEATS 72

SHOWER CURTAINS 73

Part Number Index 74

ISO 9001 Certification 78

Terms & Conditions 79

CMP Limited Warranty 80



WELCOME TO THE 2015 BATH PRODUCTS CATALOG



CMP Bath Products is proud to support OEM manufacturers with product solutions that help designers meet the ever-changing market. That is why we are not just building products, we are creating total product family solutions for bath design using innovative manufacturing techniques. CMP wants to partner with OEMs to encourage innovation, rethink older systems and improve your entire process.

We also want to offer solutions for bath designers that are seeking a more sophisticated look and feel. Our new SOL™ brand products are designed to be on trend with the European-inspired designs that are increasing in popularity across the home and bath market. SOL is a growing product line that includes jets, controls and fittings featuring a “flush” design. The smooth, contemporary look and feel is the perfect solution for today's OEM bath designs. Because we believe the details matter, these new bath products are all a combination of modern design and superior features.

In 2014, we introduced the new CMP tagline, *everything matters®*. Our focus is on improving each core area of quality products, customer support and reliable supply. To meet these goals we have added expert staff to our team in the areas of continual improvement, quality and administration. In the past year we have more than doubled the size of our *award-winning* customer support team. We have also added a brand new distribution center in Europe for our international customers.

With every improvement and addition at CMP we are setting you up for success by paying attention to the small things. That's what makes the difference. And when the difference is in the details, *everything matters*.

A handwritten signature in black ink, appearing to read 'William Drury'.

WILLIAM DRURY, PH.D.
FOUNDER

A handwritten signature in black ink, appearing to read 'Charles Li'.

CHARLES LI, PH.D.
FOUNDER



CMP CORPORATE HEADQUARTERS, USA



USA MANUFACTURING



US WEST DISTRIBUTION



EUROPE
DISTRIBUTION

CUSTOMER SUPPORT

CONTACT INFORMATION

CMP EAST: INTERNATIONAL CORPORATE OFFICE

36 Herring Road, Newnan, Georgia 30265

TOLL FREE: 1-800-733-9060

LOCAL: 770-632-7112

FAX: 770-632-7115

CMP WEST DISTRIBUTION

1651 South Carlos Ave, Ontario, California 91761

CMP AUSTRALIA & NEW ZEALAND

(CSN GLOBAL PARTY LTD)

sales@cnsnglobal.com.au

www.cnsnglobal.com.au

CMP EUROPE DISTRIBUTION

Veluwezoom 32, 1327 AH Almere, Netherlands

abateman@c-m-p.com



CUSTOMER & TECHNICAL SUPPORT

MONDAY - FRIDAY: 8:00AM - 5:00PM EST (12:00PM - 9:00PM UTC)

EMAIL: CS@C-M-P.COM

FAX: 770-632-7115

FOR ORDERING TERMS & CONDITIONS, SEE PAGE 79

ABOUT THIS CATALOG

ABBREVIATION GUIDE

S = SOCKET

SP = SPIGOT

SL = SLIP

GPM = GALLONS PER MINUTE

SS = STAINLESS STEEL

ASSY = ASSEMBLY

ROTO = ROTATIONAL

DIR = DIRECTIONAL

SB = SMOOTH BARB

RB = RIBBED BARB

TM = TOP MOUNT

SM = SIDE MOUNT

BOX AND BAG QUANTITIES

Box Quantities are listed for most items. If a bag quantity is also available, it will be indicated as "Box/Bag." For example "24/6" where "24" is the box quantity, and "6" is the bag quantity.

Currently CMP does not apply a surcharge for broken carton orders. Please help us maintain this policy by ordering in full carton quantities. Thank you for your cooperation.

THANK YOU FOR USING THE 2015 CMP BATH PRODUCTS CATALOG


COLOR REFERENCE

The standard CMP numbering scheme for designating the color of plastic products is indicated within the part number as follows:

A B C D E - F G H - I J K

EXAMPLE: 23500-010-000 (10 = BRIGHT WHITE)

Always specify the product color by both name and number when placing orders to reduce errors.



CUSTOM COLORS

Additional colors are available upon request. Custom colors can be provided. Please call for details. A minimum order will be required.

FITTINGS

Unless otherwise specified fitting bodies and other undershirt components are molded in white or gray.

SPECIAL ORDER *

Product colors marked with an asterisk are non-stock special order only.



BATH JET COLLECTIONS

SÖL™ SERIES JETS 10

TECH SERIES JETS 17

ECON SERIES JET 22

BATH SERIES JETS 28

MINI JETS 31

CARESSE SYSTEM 36

SÖL

BATH COLLECTION

Introducing the *SÖL Bath Collection*, a European-inspired bath collection from CMP. The SÖL designs and forms are simple, elegant and graceful. A classic contemporary overtone allows SÖL to complement any bath design and decor. The complete SÖL Bath Collection includes suctions, lights, and controls for a total style package.



LUXURY PERFORMANCE

CONTEMPORARY STYLE

CLASSIC DESIGNS




SÒL BATH JETS

SERIES THREE

PRODUCT FEATURES

- Adjustable Flow Control
- Directional Nozzle
- Silicone Injection Ports
- 3.5" Round Face
- "L" or "V" Jet Body

 2-3/4"/69.8mm Hole Size
3/8" Air × 26mm Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
SÒL SERIES THREE			
A	24601-002-000	SERIES THREE DIRECTIONAL & FLOW ADJUSTABLE INTERNAL	30
B	24600-000-200	SERIES THREE ROTATIONAL INTERNAL	30
C	24601-002-030	SERIES THREE WALL FITTING/TRIM RING	30
D	24601-002-040	SERIES THREE FLUSH ESCUTCHEON	30
E	24601-000-001	SERIES THREE GASKET	30
F	24600-000-010	SERIES THREE "V" JET BODY	30
G	24600-000-020	SERIES THREE "L" JET BODY	30

SÔL BATH JETS

SERIES TWO: DECO
NON-ADJUSTABLE

PRODUCT FEATURES

- Stylish "Deco" Ring Design
- Silicone Injection Ports
- "V" or "L" or Body
- 2" Round Face
- Directional Nozzle



1-11/16" / 42.4mm Hole Size

3/8" SB Air

26mm or 1" Water



NEW



D

A

C

B

E

ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
SÔL SERIES TWO DECO NON-ADJUSTABLE			
A	24100-000-600	SERIES TWO DECO DIRECTIONAL NOZZLE & WALL FITTING ASSEMBLY, WHITE	50
A	24100-012-600	SERIES TWO DECO DIRECTIONAL NOZZLE & WALL FITTING ASSEMBLY, CHROME	50
B	24100-000-700	SERIES TWO DECO ROTO NOZZLE, WHITE	50
B	24100-002-700	SERIES TWO DECO ROTO NOZZLE, CHROME	50
C	24100-000-603	SERIES TWO DECO WALL FITTING, WHITE	100
C	24100-002-603	SERIES TWO DECO WALL FITTING, CHROME	100
D	24001-000-600	SERIES TWO DECO 26MM V-BODY (NON FLOW-ADJUSTABLE)	250
D	24101-000-600	SERIES TWO DECO 1" V-BODY (NON FLOW-ADJUSTABLE)	250
E	24101-000-620	SERIES TWO DECO 1" L-BODY (NON FLOW-ADJUSTABLE)	100
E	24001-000-620	SERIES TWO DECO 26MM L-BODY (NON FLOW-ADJUSTABLE)	100
—	24100-000-999	SERIES TWO WALL FITTING TOOL	


SÒL BATH JETS

SERIES TWO: DECO ADJUSTABLE

PRODUCT FEATURES

- Stylish "Deco" Ring Design
- Silicone Injection Ports
- 2" Round Face
- "V" or "L" or Body
- Adjustable Flow
- Directional Nozzle

 1-11/16" / 42.4mm Hole Size
3/8" SB Air
26mm or 1" Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
SÒL SERIES TWO DECO ADJUSTABLE			
A	24100-000-900	SERIES TWO DECO ADJUSTABLE DIRECTIONAL NOZZLE INTERNAL, WHITE	50
B	24100-000-910	SERIES TWO DECO ADJUSTABLE ROTO NOZZLE INTERNAL, WHITE	50
C	24100-000-090	SERIES TWO DECO ADJUSTABLE JET WALL FITTING	100
D	24000-000-200	SERIES TWO 26MM ADJUSTABLE V-BODY	250
D	24100-000-200	SERIES TWO 1" ADJUSTABLE V-BODY	100
E	24100-000-220	SERIES TWO 1" ADJUSTABLE L-BODY	100
E	24000-000-220	SERIES TWO 26MM ADJUSTABLE L-BODY	100
—	24100-000-999	SERIES TWO WALL FITTING TOOL	

SÖL BATH JETS


SERIES TWO: SMOOTH

PRODUCT FEATURES

- Adjustable Flow
- Smooth Face Design
- 2" Round Face
- Directional Flow
- Silicone Injection Ports
- "V" or "L" or Body



1-11/16" Hole Size
1" or 26mm Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
SÖL SERIES TWO SMOOTH			
A	24100-500-000	SERIES TWO SMOOTH DIRECTIONAL JET INTERNAL	50
B	24100-500-100	SERIES TWO SMOOTH ROTO JET INTERNAL	50
C	24100-500-040	SERIES TWO SMOOTH WALL FITTING	100
D	24100-500-030	SERIES TWO SMOOTH WALL FITTING ESCUTCHEON (STAINLESS STEEL RING)	50
E	24100-500-070	SERIES TWO WALL FITTING GASKET	50
F	24000-000-200	SERIES TWO 26MM ADJUSTABLE V-BODY	250
F	24100-000-200	SERIES TWO 1" ADJUSTABLE V-BODY	100
G	24000-000-220	SERIES TWO 26MM ADJUSTABLE L-BODY	100
G	24100-000-220	SERIES TWO 1" ADJUSTABLE L-BODY	100
—	24100-999-999	WALL FITTING TOOL (100-E)	—


SÖL BATH JETS

SERIES TWO: SLOTTED

PRODUCT FEATURES

- Unique Slotted Jet
- Smooth Face Design
- Silicone Injection Ports
- "V" or "L" or Body
- Adjustable or Non-Adjustable Flow

 1-11/16" / 42.4mm Hole Size
3/8" SB Air
1" or 26mm Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
SÖL SERIES TWO SLOTTED			
A	24100-000-094	SERIES TWO SLOTTED JET INTERNAL	50
B	24100-000-090	SERIES TWO SLOTTED WALL FITTING	100
C	24100-000-200	SERIES TWO 1" ADJUSTABLE V-BODY	100
C	24101-000-700	SERIES TWO SLOTTED 1" NON-ADJUSTABLE V-BODY	100
C	24000-000-200	SERIES TWO 26MM ADJUSTABLE V-BODY	250
C	24001-000-700	SERIES TWO SLOTTED 26MM NON-ADJUSTABLE V-BODY	100
D	24100-000-220	SERIES TWO 1" ADJUSTABLE L-BODY	100
D	24101-000-720	SERIES TWO SLOTTED 1" NON-ADJUSTABLE L-BODY	100
D	24000-000-220	SERIES TWO 26MM ADJUSTABLE L-BODY	100
D	24001-000-720	SERIES TWO SLOTTED 26MM NON-ADJUSTABLE L-BODY	100
—	24100-000-999	WALL FITTING TOOL	—

SÖL BATH JETS

MICRO SERIES

PRODUCT FEATURES

- Silicone Injection Ports
- "V" or "L" Body
- Uni-Directional or Roto Internal
- Flow Adjustable or Non-Adjustable Internals



1-1/2" / 38.1mm Hole Size

3/8" SB Air

26mm or 3/4" Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION*	BOX QTY
SÖL MICRO SERIES			
A	23400-800-100	1.25" MICRO FIXED JET INTERNAL, ADJUSTABLE	50
A	23400-800-000	1.25" MICRO FIXED JET INTERNAL, NON-ADJUSTABLE	50
B	23401-800-100	1.25" MICRO FIXED ROTO JET INTERNAL, ADJUSTABLE	50
B	23401-800-000	1.25" MICRO FIXED ROTO JET INTERNAL, NON-ADJUSTABLE	50
C	23400-800-010	1.25" MICRO ESCUTCHEON/TRIM RING	50
D	23400-840-040	1.25" MICRO WALL FITTING	100
E	23400-800-030	1.25" MICRO 26MM V-BODY WITH ADAPTER	100
F	23400-900-080	1.25" MICRO 26MM L-JET BODY WITH ADAPTER	100
F	23400-950-080	1.25" MICRO 3/4 SOCKET L-BODY WITH ADAPTER	100
—	23400-999-999	TOOL FOR MICRO WALL FITTING	


TECH SERIES JETS

TS-I JET

PRODUCT FEATURES

- Smooth Rounded Face
- Flow Control Nozzle
- Directional Nozzle
- Silicone Injection Ports
- "V" or "L" Jet Body

 2-3/8" Hole Size
3/8" SB Air
26mm Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BAG/BOX
TECH SERIES TS-I JET			
A	24600-000-040	TS-I SMOOTH ESCUTCHEON	300
B	24600-000-000	TS-I DIRECTIONAL INTERNAL	400/100
C	24600-000-100	TS-I ROTATIONAL INTERNAL	400/100
D	24600-000-030	TS-I WALL FITTING	300
E	24600-000-010	TS-I "V" JET BODY	100
F	24600-000-020	TS-I "L" JET BODY	100
—	24600-999-999	TS-I TOOL FOR WALL FITTING	—
—	24600-399-999	TS-I TOOL FOR JET INTERNAL	—

TECH SERIES JETS

TS-II JET

PRODUCT FEATURES


- Smooth Flat Face
- Adjustable Flow
- Directional Nozzle
- Silicone Injection Ports



2-1/4" Hole Size

3/8" SB Air

26mm Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
TECH SERIES TS-II JET			
A	27270-900-000	TS-II COMPLETE DIRECTIONAL ASSEMBLY	80
B	27270-900-060	TS-II TRIM RING	100
C	27270-900-100	TS-II DIRECTIONAL JET INTERNAL	50
D	27270-900-050	TS-II WALL FITTING	100
E	27270-000-070	TS-II "V" JET BODY	100
—	27270-999-999	TS-II TOOL FOR WALL FITTING	—
—	27270-900-999	TS-II TOOL FOR JET INTERNAL	—

TECH SERIES JETS

TS-III JET

PRODUCT FEATURES

- Smooth Rounded Face
- Center Air Draw
- Adjustable Flow
- Directional Nozzle

 2-1/2" Hole Size
 1" S Air
 1" S Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
TECH SERIES TS-III JET			
A	23061-000-000	TS-III COMPLETE DIRECTIONAL ASSEMBLY	60
A	23061-002-000	TS-III COMPLETE CHROME DIRECTIONAL ASSEMBLY	60
A	23061-000-133	TS-III COMPLETE BRASS DIRECTIONAL ASSEMBLY	60
B	23061-010-000	TS-III ESCUTCHEON/WALL FITTING	200/20
C	26200-230-601	TS-III GASKET	60
D	23061-000-100	TS-III NOZZLE & RING	60
D	23061-132-002	TS-III CHROME NOZZLE & RING	60
D	23061-132-003	TS-III BRASS NOZZLE & RING	60
E	23061-000-200	TS-III JET BODY ASSEMBLY	60
F	21022-000-000	1" PLUG (SOLD SEPARATELY)	500/25
—	27112-000-000	TS-III PLASTIC TOOL FOR JET	—
—	23061-999-999	TS-III METAL TOOL FOR JET	—
—	23061-090-000	RETAINING RING	—

TECH SERIES JETS

TS-IV JET

PRODUCT FEATURES


- Rounded Face Design
- Adjustable Flow
- Silicone Injection Ports
- Directional Nozzle



2-3/8" Hole Size

3/8" SB Air

1" S Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
TECH SERIES TS-IV JET			
A	27272-300-100	TS-IV SMOOTH ESCUTCHEON & DIRECTIONAL EYEBALL INTERNAL	240
B	27272-300-120	TS-IV SMOOTH ESCUTCHEON & SINGLE ROTO EYEBALL INTERNAL	240
C	27270-400-000	TS-IV ROUND ESCUTCHEON & DIRECTIONAL EYEBALL INTERNAL	240
D	27270-400-100	TS-IV ROUND ESCUTCHEON & DOUBLE ROTO EYEBALL INTERNAL	100
E	27270-300-040	TS-IV WALL FITTING	200
F	27272-300-200	TS-IV "V" JET BODY	100
G	27270-400-500	TS-IV "L" JET BODY	240
—	27270-399-999	TS-IV TOOL FOR WALL FITTING	—


TECH SERIES JETS

TS-V JET

PRODUCT FEATURES

- Scalloped Face Design
- Adjustable Flow
- Air Inlet
- Directional Nozzle

 2-9/16" Hole Size
3/8" SB Air
26mm Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
TECH SERIES TS-V JET			
A	24400-100-000	TS-V DIRECTIONAL INTERNAL & ESCUTCHEON	300
B	24401-100-000	TS-V DOUBLE ROTO INTERNAL & ESCUTCHEON	300
C	24400-000-000	TS-V "L" JET BODY	300
D	24400-000-004	TS-V WALL FITTING	600/50
E	24400-000-006	TS-V 3/8" AIR BARB FOR "L" JET BODY	2400
F	24400-000-008	TS-V "L" GASKET	1200
G	24400-000-007	TS-V COMPENSATOR RING	1800
H	24400-000-005	TS-V NUT	600
I	24400-000-001	TS-V "V" JET BODY	400
—	24400-999-999	TS-V TOOL FOR JET NUT	—

ECON SERIES JETS

100-E JET

PRODUCT FEATURES

- Five Face Design Options
- Adjustable or Non-Adjustable Flow
- Silicone Injection Ports
- CSA Certified




1-2/3" Hole Size

3/8" S. Barb Air × 1" Water

3/8" S. Barb Air × 26mm Water



FOR CHROME USE 24100-X02-XXX



ORDERING GUIDE



REF	CMP P/N	DESCRIPTION	BOX/BAG
ECON SERIES 100-E JET			
A	24100-000-100	100-E SWIRL ESCUTCHEON DIRECTIONAL EYEBALL	1000/100
B	24100-000-300	100-E ROUND ESCUTCHEON DIRECTIONAL EYEBALL	1000/100
B	24100-000-500	100-E ROUND ESCUTCHEON DIR EYEBALL W/ EXTENDED LEGS FOR THICK TUBS	1000/100
C	24100-000-400	100-E ROUND ESCUTCHEON ROTO EYEBALL	100
C	24100-000-800	100-E ROUND ESCUTCHEON ROTO EYEBALL W/ EXTENDED LEGS FOR THICK TUBS	100
D	24100-100-100	100-E SMOOTH ESCUTCHEON DIRECTIONAL EYEBALL	100
E	24100-900-000	100-E 3-SCALLOP ESCUTCHEON DIRECTIONAL EYEBALL	800/100
F	24100-900-400	100-E 3-SCALLOP ESCUTCHEON AND ROTO EYEBALL	
G	24100-000-040	100-E WALL FITTING	600/50
G	24100-000-052	100-E EXTENDED WALL FITTING FOR THICK TUB WALLS	600/50
H	24100-000-070	100-E GASKET	800
I	24100-000-200	1" V-BODY, ADJUSTABLE	100
I	24101-000-200	1" V-BODY, NON-ADJUSTABLE	100
I	24000-000-200	26MM V-BODY, ADJUSTABLE	250
I	24001-000-200	26MM V-BODY, NON-ADJUSTABLE	100
J	24100-000-220	1" L-BODY, ADJUSTABLE	100
J	24101-000-220	1" L-BODY, NON-ADJUSTABLE	100
J	24000-000-220	26MM L-BODY, ADJUSTABLE	100
J	24001-000-220	26MM L-BODY, NON-ADJUSTABLE	100
—	24100-999-999	100-E TOOL FOR WALL FITTING	—

ECON SERIES JETS

200-E JET

PRODUCT FEATURES

- Smooth Face
- Adjustable Flow
- Directional Nozzle



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
ECON SERIES 200-E JET			
A	24300-200-000	200-E NOZZLE ASSEMBLY	600
B	24300-300-000	200-E WALL FITTING	300
C	24300-100-000	200-E "V" JET BODY	100
C	24300-100-100	200-E "V" JET BODY WITH NO DRAIN CHANNEL	100
—	24300-000-070	200-E GASKET FOR DRAIN CHANNEL	200
—	24300-299-999	200-E NOZZLE ASSEMBLY WRENCH	—
—	24300-799-999	200-E COMBO WALL FITTING AND INTERNAL TOOL	—

ECON SERIES JETS


300-E JET

PRODUCT FEATURES

- Rounded Face Design
- Non-Adjustable Flow
- Directional Nozzle



1-11/16" Hole Size
1/2" Socket Air
1" Socket Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
ECON SERIES 300-E JET			
A	23071-000-000	300-E DIRECTIONAL ASSEMBLY	100
B	23071-000-100	300-E ESCUTCHEON & EYEBALL INSERT	100
C	23071-030-000	300-E WALL FITTING	100
D	26205-804-330	300-E GASKET	100
E	23071-000-200	300-E STRAIGHT JET BODY	100
—	23072-000-000	300-E TOOL FOR WALL FITTING	—

ECON SERIES JETS

300-EA JET

PRODUCT FEATURES

- Rounded or 3-Scallop Eyeball
- Directional Nozzle
- Adjustable Flow


 1-11/16" Hole Size
 1/2" Socket Air
 1" Socket Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
ECON SERIES 300-EA JET			
A	23070-000-000	300-EA DIRECTIONAL ASSEMBLY	120
A	23070-200-000	300-EA "V" JET DIRECTIONAL ASSEMBLY	120
B	23070-000-100	300-EA ESCUTCHEON & EYEBALL INSERT	100
C	23070-030-000	300-EA WALL FITTING	100
D	24100-900-000	100-E 3-SCALLOP ESCUTCHEON DIRECTIONAL EYEBALL	800/100
E	23070-130-000	300-EA WALL FITTING FOR 3-SCALLOP ESCUTCHEON DIRECTIONAL EYEBALL	600/50
F	26205-804-330	300-EA GASKET	100
G	23070-000-200	300-EA STRAIGHT JET BODY	100
H	23070-200-200	300-EA "V" JET BODY	100
—	23072-000-000	300-EA TOOL FOR WALL FITTING	800/100
—	24100-999-999	100-E TOOL FOR 3-SCALLOP ESCUTCHEON WALL FITTING	—

ECON SERIES JETS

400-E JET

PRODUCT FEATURES

- Rounded Face Design
- Non-Adjustable



1-11/16" Hole Size

1" Socket Air

1" Socket Water

A




F



E




D



C



B



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
ECON SERIES 400-E JET			
A	23062-000-000	400-E COMPLETE DIRECTIONAL ASSEMBLY	100
B	23062-000-100	400-E ESCUTCHEON & EYEBALL	100
C	23062-050-000	400-E EYEBALL RETAINER RING	50
D	23062-020-000	400-E WALL FITTING	100
E	26205-554-230	400-E GASKET	100
F	23062-000-200	400-E JET BODY & O-RING	100
—	23062-999-999	400-E TOOL FOR WALL FITTING	—

ECON SERIES JETS

500-E JET

PRODUCT FEATURES



- Traditional 5-Scallop Design
- Adjustable Flow
- Silicone Injection Ports



2-1/8" Hole Size

1/2" Socket Air

1" Socket Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
ECON SERIES 500-E JET			
A	27270-000-000	500-E COMPLETE DIRECTIONAL ASSEMBLY	100
B	27270-100-200	500-E 5-SCALLOP ESCUTCHEON & EYEBALL INSERT	100
C	27270-100-050	500-E WALL FITTING	100
D	27270-200-000	500-E JET BODY	100

BATH SERIES JETS

3" BATH SERIES

PRODUCT FEATURES

- Rounded Face
- Adjustable Flow
- Directional Nozzle



2-3/16" Hole Size

3/8" SB Air

3/4" S Water

1" SP / 26mm SP Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
3" BATH SERIES JET			
A	23432-500-000	3" ROUND ESCUTCHEON AND DIRECTIONAL INTERNAL	50
B	23432-500-100	3" ROUND ESCUTCHEON AND ROTATIONAL INTERNAL	50
C	23432-500-500	3" "L" JET BODY	100
D	23432-000-050	3" "L" GASKET	100
E	23432-000-010	3" COMPENSATOR RING	100
F	23432-000-040	3" NUT FOR JET BODY	100
G	24202-126-000	3/4" SLIP TO 26MM TEE ADAPTER	100
—	23432-999-999	3" TOOL FOR JET NUT	—


BATH SERIES JETS

3" BATH SERIES (100% SHUT-OFF)

PRODUCT FEATURES

- Rounded Face
- 100% Shut-Off Capable
- Adjustable Flow
- Directional Nozzle

 2-3/16" Hole Size
3/4" S Water
1" SP / 26mm SP Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
3" BATH SERIES JET (100% SHUT-OFF)			
A	23432-700-000	3" SHUT-OFF ROUND ESCUTCHEON AND DIRECTIONAL INTERNAL	50
B	23432-700-100	3" SHUT-OFF ROUND ESCUTCHEON AND ROTATIONAL INTERNAL	50
C	23432-700-500	3" SHUT-OFF "L" JET BODY	100
D	23432-000-050	3" "L" GASKET	100
E	23432-000-010	3" COMPENSATOR RING	100
F	23432-000-040	3" NUT FOR JET BODY	100
G	24202-126-000	3/4" SLIP TO 26MM TEE ADAPTER	100
—	23432-999-999	3" TOOL FOR JET NUT	—

BATH SERIES JETS

2" BATH SERIES

PRODUCT FEATURES

- Rounded Face
- Adjustable Flow
- Uni-Directional Nozzle




1-1/2" Hole Size

3/8" SB Air

3/4" S Water

1" SP / 26mm SP Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
2" BATH SERIES JET			
A	23422-500-000	2" ROUND ESCUTCHEON AND DIRECTIONAL INTERNAL	50
B	23422-500-100	2" ROUND ESCUTCHEON AND ROTATIONAL INTERNAL	50
C	23422-500-500	2" "L" JET BODY	100
D	23422-000-050	2" "L" GASKET	100
E	23422-000-010	2" COMPENSATOR RING	100
F	23422-000-040	2" NUT FOR JET BODY	100
G	24202-126-000	3/4" SLIP TO 26MM TEE ADAPTER	100
—	23422-999-999	2" TOOL FOR JET NUT	—


MINI JETS

MICRO JET

PRODUCT FEATURES

- Adjustable Flow
- Silicone Injection Ports
- Directional or Roto Nozzle

 1-9/64" Hole Size
3/8" Air
26mm" or 3/4" Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
MICRO JET			
A	23401-900-000	MICRO JET ROTATIONAL ASSEMBLY (PICTURED)	120
A	23400-900-000	MICRO JET DIRECTIONAL ASSEMBLY	120
B	23400-900-100	MICRO JET 3-SCALLOP & DIRECTIONAL EYEBALL INSERT	50
C	23401-900-100	MICRO JET 3-SCALLOP & ROTATIONAL EYEBALL INSERT	50
D	23400-940-040	MICRO JET WALL FITTING	100
E	23400-900-050	MICRO JET GASKET	100
F	23400-900-030	26MM MICRO JET V-BODY, ADJUSTABLE	100
G	23400-900-060	26MM MICRO JET L-BODY, ADJUSTABLE	100
G	23400-950-060	3/4 SOCKET MICRO JET L-BODY, ADJUSTABLE	100
—	23400-999-999	MICRO V TOOL FOR WALL FITTING	—

MINI JETS

EURO JETS




PRODUCT FEATURES

- Low Profile Design Allows for Multiple Plumbing Variations
- Non-Adjustable
- Directional, Rotational and Uni-Directional Nozzles



1 5/16" Hole Size
CSA Approval



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
EURO JETS			
A	24500-900-000	1-5/8" DIRECTIONAL SMOOTH FACE EURO JET	1000/50
B	24510-900-000	1-5/8" ROTATIONAL SMOOTH FACE EURO JET	1000/50
C	24522-000-000	1-1/2" UNI-DIRECTIONAL SMOOTH FACE EURO JET	1000/50
D	23500-300-000	1-5/8" ROTATIONAL ROUNDED FACE EURO JET	1000/50
E	24530-000-000	2" UNI-DIRECTIONAL SMOOTH FACE EURO JET	1000/50
F	24500-999-999	EURO JET WALL FITTING TOOL	—

MINI JETS

EURO JET BODIES

PRODUCT FEATURES

- 3/8" and 1/2" Water Connections
- Fits all Euro Jet Internal Styles
- CSA Certified Options



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
EURO JET BODIES			
A	23400-400-060	1/2" SPIGOT WATER × 3/8" RIBBED BARB AIR	1000/50
A	23400-400-030	1/2" SPIGOT WATER × 3/8" RIBBED BARB AIR WITH SILICONE PORTS	1000/50
B	23400-500-000	3/8" RIBBED BARB WATER	1000/50
C	23400-600-000	1/2" SPIGOT WATER, NO AIR	1000/50
FITTINGS & ACCESSORIES			
D	21042-600-000	26MM BARB TEE FITTING	1000/50
E	21034-600-000	26MM BARB ELL FITTING	1000/50
F	21042-900-000	26MM "V" ADAPTER	1000/50
G	26203-202-215	EURO JET CLEAR GASKET	1000/50

BATH DESIGN INFOGRAPHIC

HOSE & TUBING REFERENCE

(see page 65)

- 1.5" Tubing
- 3/8" Air Line
- Flex Tubing
- Air Button Tubing




DIAGRAM GUIDE

REF	DESCRIPTION	PAGE
BATH COMPONENTS		
A	100-E "L" JET BODY	22
B	100-E "V" JET BODY	22
C	110 GPM LOW PROFILE SUCTION	60
D	SLIM AIR BUTTON	51
E	NEXXUS II PUMP, TOP DISCHARGE	42

REF	DESCRIPTION	PAGE
WHITE GOODS		
F	ELL BARB	64
G	3/8" TEE	64
H	1.5" SWEEP 90	62
I	PUMP UNION	63
J	PUMP TEE UNION	63
K	CHECK VALVE	63

BATH JETS | BATH DESIGN

[illegible]

REF	DESCRIPTION	PAGE
DIAGRAM FILLABLE WORKSHEET		
A		
B		
C		
D		
E		
F		
G		
H		
I		
J		
K		


Caresse

A REVOLUTIONARY BATHING EXPERIENCE

The Caresse™ silent therapy system creates a complete escape with natural, gentle relaxing motion.

The innovative patent-pending design creates a soothing style of water therapy using the unique vented jet design. Unlike turbulent air and water jets, Caresse laminar flow gently wraps your body in ribbons of warm water.

Gentle flow combined with relaxing heat and LED chromatherapy; Caresse enhances your body, mind and spirit.



Caresse laminar flow gently wraps your body in ribbons of warm water.

LAMINAR THERAPY

The laminar flow of the Caresse end and side vents create a swirling, layered current throughout the bath. The warm, gentle and natural flow of water relaxes muscles, increases blood flow, and relieves stress.

CARESSE END JET VENTS

End Vents create ribbons of water that flow over the top and front of your body.

CARESSE SIDE JET VENTS

Side Vents envelop your body and can be adjusted to create unique flow patterns.



A. ADJUSTABILITY

Caresse side vents can be rotated to any position you desire. Direct ribbons of water along your body and drift away, or adjust the flow direction to create a soothing swirl of water.

B. WATER MOVEMENT ONLY

Without air to agitate, the smooth parallel laminar flow of water is gentle and silent.



WHERE WILL YOUR BATHING RITUAL TAKE YOU?™

CARESSE™ SYSTEM

CARESSE JETS

PRODUCT FEATURES





- Silicone Injection Ports
- Laminar Water Flow
- Non-Adjustable Flow



1-11/16"/42.4mm Hole Size

3/8" Air

26mm" Water



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
CARESSE JETS			
A	24100-000-081	CARESSE SIDE JET INTERNAL	100
B	24100-000-094	CARESSE SLOTTED JET INTERNAL	100
C	24100-000-090	CARESSE WALL FITTING	100
D	24001-000-211	26MM V-BODY WITH 3/8" PLUG, NON-ADJUSTABLE	100
D	24100-000-211	1" V-BODY WITH 3/8" PLUG, NON-ADJUSTABLE	100
E	24001-000-221	26MM L-BODY WITH 3/8" PLUG, NON-ADJUSTABLE	100
E	24101-000-221	1" L-BODY WITH 3/8" PLUG, NON-ADJUSTABLE	100
—	27240-148-000	NEXXUS Q PUMP, 120V (US)	
—	27240-248-000	NEXXUS Q PUMP, 220V (EUROPE)	
	24100-000-999	WALL FITTING TOOL	

CARESSE SYSTEM DESIGN INFOGRAPHIC

HOSE & TUBING REFERENCE

(see page 65)

- 1.5" Tubing
- Flex Tubing
- Air Button Tubing




DIAGRAM GUIDE

REF	DESCRIPTION	PAGE
CARESSE SYSTEM COMPONENTS		
A	CARESSE SLOTTED "L" JET	38
B	CARESSE SIDE JET WITH "V" BODY	38
C	110 GPM LOW PROFILE SUCTION	60
D	SLIM AIR BUTTON	51
E	NEXXUS Q PUMP	38

REF	DESCRIPTION	PAGE
WHITE GOODS		
F	ELL BARB	64
G	1.5" SWEEP 90	62
H	PUMP UNION	63
I	PUMP TEE UNION	63
J	CHECK VALVE	63

REF	DESCRIPTION	PAGE
DIAGRAM FILLABLE WORKSHEET		
A		
B		
C		
D		
E		
F		
G		
H		
I		
J		
K		



BATH EQUIPMENT

NEXXUS PUMPS *42*

NEXXUS DH HEATERS *46*

NEXXUS AIR BLOWERS *47*

NEXXUS II BATH PUMP

Nexus II


The Nexus II Bath pump is compact, yet powerful. This quiet and efficient pump is available in two plumbing configurations.

PRODUCT FEATURES

- Locking Nut for Air Button Tubing
- Integrated Air Switch
- Thermal Protected Motor
- NEMA Plugs



110 Volt Single Speed
UL & CSA Approval



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	MAX FLOW	BOX QTY
NEXXUS II BATH PUMP				
A	27213-050-000	NEXXUS II 5.0 AMP, TOP DISCHARGE	62.5 GPM	18/72
A	27213-070-000	NEXXUS II 7.0 AMP, TOP DISCHARGE	79.5 GPM	18/72
A	27213-090-000	NEXXUS II 9.0 AMP, TOP DISCHARGE	101.7 GPM	12/54
A	27213-130-000	NEXXUS II 13.0AMP, TOP DISCHARGE	115 GPM	12/54
B	27216-050-000	NEXXUS II 5.0 AMP, FRONT DISCHARGE*	62 GPM	18/72
B	27216-070-000	NEXXUS II 7.0 AMP, FRONT DISCHARGE*	78 GPM	18/72
B	27217-090-000	NEXXUS II 9.5 AMP, FRONT DISCHARGE*	103 GPM	12/54
B	27217-130-000	NEXXUS II 13/5 AMP, FRONT DISCHARGE*	114 GPM	12/54
C	42009-200-000	MOLDED PUMP STAND ASSEMBLY	—	1
D	27265-204-000	PLASTIC PUMP STAND	—	30
E	21014-000-000	1" x 1" x 1-1/2" SPIGOT PUMP TEE	—	180
F	21021-000-000	1-1/2" PUMP UNION	—	200

*SPECIAL ORDER ITEM, CALL FOR AVAILABILITY

NEXXUS I BATH PUMP

Nexxus I


The Nexxus Bath pump is a space-saving, quiet, and energy efficient pump that will perfectly meet the needs of many whirlpool bath designs.

PRODUCT FEATURES

- Locking Nut for Air Button Tubing
- Integrated Air Switch
- Thermal Protected Motor
- NEMA Plugs
- IPX5 Enclosure meets European Standards



110 Volt Single Speed
UL Approval



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	MAX FLOW	BOX QTY
NEXXUS BATH PUMP				
A	27210-060-000	NEXXUS 6.3 AMP	68.8 GPM	18/90
A	27210-080-000	NEXXUS 7. AMP	71.4 GPM	18/105
A	27210-090-000	NEXXUS 8.0 AMP	75.4 GPM	18/105
A	27210-110-000	NEXXUS 10.0 AMP	81.0 GPM	18/105
A	27210-130-000	NEXXUS 12.0 AMP	91.6 GPM	18/105
B	42009-200-000	MOLDED PUMP STAND ASSEMBLY	—	1
C	27265-204-000	PLASTIC PUMP STAND	—	180
D	27210-000-100	PUMP PADS (TWO REQUIRED PER PUMP)	—	180
E	21021-000-000	1-1/2" PUMP UNION	—	180
E	27239-000-900	50MM PUMP UNION	—	180
F	21014-000-000	1" x 1" x 1-1/2" SPIGOT PUMP TEE	—	200

NEXXUS II-i BATH PUMP (WITH UNIONS)

Nexxus II-i


The Nexxus II-i with union connections is a bath pump with a variety of connection options, designed to meet international requirements.

PRODUCT FEATURES

- Locking Nut for Air Button Tubing
- Integrated Air Switch
- Thermal Protected Motor
- Includes a One Meter Cord
- IPX5 Enclosure meets European Standards



220 Volt Single Speed
CE & TUV Approval



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	MAX FLOW	BOX QTY
NEXXUS II-i BATH PUMP WITH UNION CONNECTIONS				
A	27239-020-000	NEXXUS II-i 2.0 AMP	45 GPM	72
A	27239-032-000	NEXXUS II-i 3.2 AMP	65 GPM	72
A	27239-038-000	NEXXUS II-i 3.8 AMP	80 GPM	48
A	27239-046-000	NEXXUS II-i 4.6 AMP	93 GPM	48
A	27239-058-000	NEXXUS II-i 5.8 AMP	108 GPM	48
A	27239-070-000	NEXXUS II-i 7.0 AMP	118 GPM	48
B	42009-200-000	MOLDED PUMP STAND ASSEMBLY	—	1
C	27210-000-100	PUMP PADS (TWO REQUIRED PER PUMP)	—	180
D	27265-204-000	PLASTIC PUMP STAND	—	30
E	21014-000-000	1" x 1" x 1-1/2" SPIGOT PUMP TEE	—	200
F	21021-000-000	1-1/2" PUMP UNION	—	180
F	27239-000-900	50MM PUMP UNION	—	180

NEXXUS II-i BATH PUMP (WITH TEE)

Nexus II-i



The Nexus II-i Bath pump with Tee Outlet is a compact, quiet, and energy efficient pump designed specifically for international bath design.

PRODUCT FEATURES

- Molded Tee Outlet with 26mm Connection
- Locking Nut for Air Button Tubing
- Two Pump Pads Included with Each Pump
- Optional Air Switch
- Thermal Protected Motor
- Includes a One Meter Cord
- IPX5 Enclosure meets European Standards



220 Volt, 50Hz Single Speed
CE & TUV Approval



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	MAX FLOW	BOX QTY
NEXXUS II-i BATH PUMP WITH TEE DISCHARGE				
A	27239-075-000	NEXXUS II-i 3.0A, 3/4HP	60 GPM	72
A	27239-100-000	NEXXUS II-i 3.5A, 1HP	75 GPM	72
A	27239-120-000	NEXXUS II-i 4.0, 3/4HP	85 GPM	48
A	27239-075-100	NEXXUS II-i 3.0A, 3/4HP (WITH AIR SWITCH)	60 GPM	72
A	27239-100-100	NEXXUS II-i 3.5A, 1HP (WITH AIR SWITCH)	75 GPM	72
A	27239-120-100	NEXXUS II-i 4.0A, 3/4HP (WITH AIR SWITCH)	85 GPM	48
B	27210-000-100	PUMP PADS (TWO REQUIRED PER PUMP)	—	180
C	21021-000-000	1-1/2" PUMP UNION	—	180
C	21039-000-900	50MM PUMP UNION	—	180
D	27265-204-000	PLASTIC PUMP STAND	—	30
E	42009-200-000	MOLDED PUMP STAND ASSEMBLY	—	1

NEXXUS DH BATH HEATERS

NexxusDH

"DURA-HEAT" ELECTRIC TEE HEATER

Enhance your bathing experience. The Nexxus DH Tee Style electric heater helps to eliminate rapid cooling of the water temperature.

PRODUCT FEATURES

- Space Saving Compact Design
- High Limit Temp Protection
- Pressure Switch Activated
- Stainless Steel Housing



Two 1" Outlet Connections
One 1-1/2" Inlet Connection
UL Approval

**FRICTION DISCHARGE HEATER**

An alternative to expensive electric heaters. The baffled design maximizes and creates friction heat without decreasing performance, and helps maintain water temperature.

PRODUCT FEATURES

- Safe – No Electrical Requirements
- Installs on Top of Pump Discharge Tee
- Standard Union Size for 1" Socket Outlet Connections

**ORDERING GUIDE**

REF	CMP P/N	DESCRIPTION	BOX QTY
NEXXUS DH HEATERS			
A	27269-150-000	120 VOLT ELECTRIC TEE HEATER, 1.5 KW	12
A	27268-320-000	220 VOLT ELECTRIC INLINE HEATER, 1.5 KW	12
A	—	INLINE HEATERS AVAILABLE - CONTACT YOUR CMP REPRESENTATIVE	—
B	27269-009-100	FRICTION DISCHARGE MAINTENANCE HEATER	30
—	27269-009-030	OPTIONAL HEATER REDUCER (TWO REQUIRED PER HEATER)	400


NEXXUS AIR BLOWERS

NexxusAIR

Nexxus Air blowers are compact, quiet and efficient blowers for bath. Available for U.S and International Bath requirements.

DOMESTIC (U.S) FEATURES

- Locking Nut for Air Button Tubing
- 180 Watt Heater Power
- Single Impeller Blower for US
- Integrated Air Switch
- NEMA Cord with Plug



INTERNATIONAL FEATURES

- Locking Nut for Air Button Tubing
- 180 Watt Heater Power
- Double Impeller



* BAUMIT
GEPRÜFT
* TÜV
APPROVED

ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
NEXXUS AIR BLOWERS			
A	27320-400-000	5.3 AMP, 120V, 50/60HZ, 400 WATT MOTOR, 180 WATT HEATER	EACH
A	27320-700-000	8.0 AMP, 120V, 50/60HZ, 700 WATT MOTOR, 180 WATT HEATER	EACH
A	27320-900-000	9.8 AMP, 120V, 50/60HZ, 900 WATT MOTOR, 180 WATT HEATER	EACH
B	27320-400-100	5.3 AMP, 220V, 50/60HZ, 400 WATT MOTOR, 180 WATT HEATER WITH OZONE	EACH
B	27320-700-100	5.3 AMP, 220V, 50/60HZ, 700 WATT MOTOR, 180 WATT HEATER WITH OZONE	EACH
C	27320-400-300	5.3 AMP, 220V, 50/60HZ, 400 WATT MOTOR, 180 WATT HEATER (NO OZONE)	EACH
C	27320-700-300	5.3 AMP, 220V, 50/60HZ, 700 WATT MOTOR, 180 WATT HEATER (NO OZONE)	EACH

AIR INJECTORS

SINGLE HOLE AIR INJECTOR



LOW PROFILE AIR INJECTOR



MICRO AIR INJECTOR



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
AIR INJECTORS			
A	23036-000-000	3/8" ELL BARB AIR INJECTOR ASSEMBLY WITH 7/8" FACE*	500/50
B	23035-000-000	3/8" TEE BARB AIR INJECTOR ASSEMBLY WITH 7/8" FACE*	500/50
—	23038-010-000	AIR INJECTOR ELL BODY ONLY	1000/100
—	23037-010-000	AIR INJECTOR TEE BODY ONLY	600
—	23037-030-000	AIR INJECTOR GASKET ONLY	5000/250
C	23038-000-000	7/8" FACE 3/8" ELL BARB LOW PROFILE AIR INJECTOR ASSY & CHECK VALVE**	500/50
D	23037-000-000	7/8" FACE 3/8" TEE BARB LOW PROFILE AIR INJECTOR ASSY & CHECK VALVE **	500/50
E	23039-010-000	MICRO AIR INJECTOR ASSEMBLY, BRIGHT WHITE	500/50
E	23039-020-000	MICRO AIR INJECTOR ASSEMBLY, MEDIUM WHITE	500/50
E	23039-002-000	MICRO AIR INJECTOR ASSEMBLY, CHROME	500/50
E	23039-025-000	MICRO AIR INJECTOR ASSEMBLY, BISCUIT	500/50
—	23039-000-010	MICRO AIR INJECTOR BODY	1000/100
—	25522-256-266	MICRO AIR INJECTOR GASKET	5000/250

*NON-STOCK SPECIAL ORDER ONLY ITEM



CONTROL VALVES & BUTTONS

AIR CONTROLS & BUTTONS 50

TOP MOUNT VALVES 54

SIDE MOUNT VALVES 55

SÖL FLUSH AIR CONTROLS

SÖL Flush Air Controls are a part of the SÖL bath series featuring clean, European-influenced designs including controls, jets, suction and lighting. See the complete series on page 10.

SÖL FLUSH AIR BUTTON

PRODUCT FEATURES

- Beautiful Flush Installation
- European Inspired Modern Design
- Locking Nut for Air Button Tubing



2-11/64"/55.1mm Cap Size
1-27/32"/46.8mm Hole Size



SÖL
BATH COLLECTION

SÖL FINGERTIP AIR CONTROL

PRODUCT FEATURES

- Perfectly Flush Installation
- No Protruding Handles or Surfaces
- Fingertip Control
- Under Skirt Air Draw



2-11/64"/55.1mm Cap Size
1-27/32"/46.8mm Hole Size



SÖL
BATH COLLECTION

ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
SÖL AIR BUTTON			
A	25083-800-000	FLUSH AIR BUTTON ASSEMBLY, WHITE	600/50
A	25083-802-000	FLUSH AIR BUTTON ASSEMBLY, CHROME	600/50
SÖL FINGERTIP AIR CONTROL			
B	25014-800-000	FLUSH AIR CONTROL ASSEMBLY, WHITE	400/20
B	25014-802-000	FLUSH AIR CONTROL ASSEMBLY, CHROME	400/20

AIR BUTTONS

LOW PROFILE AIR BUTTON

PRODUCT FEATURES

- Space Saving Compact Design
- Low Profile Installation
- Choice of Popular Cap Finishes



SLIM AIR BUTTON

PRODUCT FEATURES

- Locking Nut for Tubing
- CSA Approval
- Raised or Flush Button
- Choice of Popular Cap Finishes



ORDERING GUIDE


REF	CMP P/N	DESCRIPTION	BOX/BAG
LOW PROFILE AIR BUTTON			
A	25025-000-000	WHITE LOW PROFILE AIR BUTTON ASSEMBLY (PICTURED)	500/50
A	25025-002-000	POLISHED CHROME LOW PROFILE AIR BUTTON ASSEMBLY	500/50
A	25025-003-000	POLISHED BRASS LOW PROFILE AIR BUTTON ASSEMBLY	500/50
—	26204-653-820	GASKET FOR LOW PROFILE AIR BUTTON	—
B	25025-000-040	LOW PROFILE CAP & BUTTON	500/50
C	25025-000-110	LOW PROFILE BODY ASSEMBLY (BODY, NUT, BELLOWS)	500/50
SLIM AIR BUTTON			
D	25083-000-000	WHITE SLIM AIR BUTTON ASSEMBLY	600/50
D	25083-002-000	POLISHED CHROME AIR BUTTON ASSEMBLY (PICTURED)	600/50
D	25083-003-000	POLISHED BRASS AIR BUTTON ASSEMBLY	600/50
—	25083-100-000	COMPRESSION NUT FOR TUBING	5000
—	25083-000-041	PROTECTIVE CAP FOR SLIM CAP & BUTTON	1600
E	25083-000-040	SLIM CAP & BUTTON	600/50
F	25083-200-000	SLIM AIR BUTTON WITH SLIM CAP AND RAISED BUTTON ASSEMBLY	600/50
F	25083-200-040	SLIM CAP AND RAISED BUTTON	600/50
G	25083-000-110	SLIM BODY ASSEMBLY (NUT, GASKET, BELLOWS)	600/50
H	25083-300-100	SLIM L BODY ASSEMBLY WITH 90DEG BARB (NUT, GASKET, BELLOWS)	—
I	25014-050-000	GASKET FOR SLIM AIR BUTTON	600/50
J	25040-019-050	LOOP ADAPTER (OPTIONAL)	—

AIR CONTROLS

UNDER SKIRT DRAW AIR CONTROL

PRODUCT FEATURES


- Space Saving Compact Design
- Under Skirt Draw



UNDER SKIRT DRAW SLIM AIR CONTROL

PRODUCT FEATURES

- White or Polished Chrome
- Side Mount Control Available
- Low Profile Control Knob



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
UNDER SKIRT DRAW AIR CONTROL			
A	25024-000-000	WHITE UNDER SKIRT AIR CONTROL ASSEMBLY (PICTURED)	250/25
A	25024-002-000*	POLISHED CHROME UNDER SKIRT AIR CONTROL ASSEMBLY	250/25
A	25024-003-000*	POLISHED BRASS UNDER SKIRT AIR CONTROL ASSEMBLY	250/25
A	25024-000-132*	STAINLESS STEEL CAP, CHROME FINISH UNDER SKIRT AIR CONTROL	250/25
A	25024-000-133*	STAINLESS STEEL CAP, BRASS FINISH UNDER SKIRT AIR CONTROL	250/25
B	25024-000-100	CAP FOR UNDER SKIRT AIR DRAW CONTROL	400/20
C	25024-000-200	BODY & NUT FOR UNDER SKIRT AIR DRAW CONTROL	400/20
D	26205-554-230	GASKET FOR UNDER SKIRT AIR DRAW CONTROL	400/20
UNDER SKIRT DRAW SLIM AIR CONTROL			
E	25015-000-000	WHITE UNDER SKIRT SLIM AIR CONTROL ASSEMBLY	400/20
E	25015-002-000	POLISHED CHROME UNDER SKIRT AIR CONTROL ASSEMBLY (PICTURED)	400/20
F	25015-100-000	SIDE MOUNT AIR CONTROL (ELBOW SOLD SEPARATELY)	400/20
G	25013-000-300	90 DEGREE ELBOW FOR SIDE MOUNT AIR CONTROL (SOLD SEPARATELY)	400/20
H	25014-000-100	CAP FOR UNDER SKIRT DRAW AIR CONTROLS	400/20
I	25015-000-200	BODY & NUT FOR UNDER SKIRT DRAW AIR CONTROL (TOP MOUNT)	400/20
J	25014-050-000	GASKET FOR UNDER SKIRT DRAW AIR CONTROL	400/20


*NON-STOCK SPECIAL ORDER ONLY ITEM

AIR CONTROLS

TOP DRAW SLIM AIR CONTROL

PRODUCT FEATURES


- White or Polished Chrome
- Slim Cap Design



LOW PROFILE AIR CONTROL

PRODUCT FEATURES

- Low Profile Install Style
- Three Color Options



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
TOP DRAW SLIM AIR CONTROL			
A	25014-000-000	WHITE TOP DRAW AIR CONTROL ASSEMBLY	400/20
A	25014-002-000	POLISHED CHROME TOP DRAW AIR CONTROL ASSEMBLY (PICTURED)	400/20
B	25015-000-100	CAP FOR TOP DRAW AIR CONTROL	400/20
C	25014-000-200	BODY & NUT FOR TOP DRAW AIR CONTROL	400/20
D	26204-102-820	GASKET FOR TOP DRAW AIR CONTROL	400/20
LOW PROFILE AIR CONTROL			
E	25013-000-000	WHITE LOW PROFILE AIR CONTROL ASSEMBLY (PICTURED)	500
E	25013-634-500	BONE LOW PROFILE AIR CONTROL ASSEMBLY	500
E	25013-652-800	BISCUIT LOW PROFILE AIR CONTROL ASSEMBLY	500
F	25013-000-110	CAP FOR LOW PROFILE AIR CONTROL	400/20
G	25013-000-200	BODY & NUT FOR LOW PROFILE AIR CONTROL	400/20
H	25013-000-030	GASKET FOR LOW PROFILE AIR CONTROL	400/20
—	25013-000-100	90° ELBOW FOR LOW PROFILE AIR CONTROL	2000/100

1" TOP MOUNT VALVES

PRODUCT FEATURES

- 100% Shut Off Body Available for On/Off Valve
- On/Off or 3-Way Flow Control
- Low Profile Handle
- Optional Raised Handle with Larger Surface Area for Easy Adjustment



1-9/32"/32.5mm Hole Size

1" Slip



ORDERING GUIDE


REF	CMP P/N	DESCRIPTION	BOX/BAG
1" TOP MOUNT VALVES			
A	24039-100-000	1" TOP MOUNT 3-WAY DIVERTER VALVE COMPLETE ASSEMBLY (PICTURED)	50
B	24031-100-000	1" TOP MOUNT ON/OFF VALVE COMPLETE ASSEMBLY (PICTURED)	50
C	24039-100-010	SMOOTH CAP	600/50
D	24039-200-020	RAISED HANDLE CAP	600/50
E	24039-000-030	WALL FITTING FOR 1" TOP MOUNT VALVES	1200
F	24039-000-060	GASKET FOR TOP MOUNT VALVE	2000/100
G	24031-000-100	STANDARD BODY FOR 1" TOP MOUNT ON/OFF VALVE	150
G	24031-800-100	1" 100% SHUT OFF BODY FOR 1" TOP MOUNT ON/OFF VALVE	150
H	24039-000-100	1" 3-WAY BODY FOR 1" TOP MOUNT 3-WAY DIVERTER VALVE	150

1" SIDE MOUNT VALVES

PRODUCT FEATURES

- On/Off or 3-Way Flow Control
- Low Profile Handle
- Optional Raised Handle with Larger Surface Area for Easy Adjustment

 1-7/32"/30.9mm Hole Size
1" Slip



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
1" SIDE MOUNT VALVES			
A	24032-100-000	1" SIDE MOUNT ON/OFF VALVE COMPLETE ASSEMBLY (PICTURED)	50
B	24038-100-000	1" SIDE MOUNT 3-WAY DIVERTER COMPLETE ASSEMBLY (PICTURED)	50
C	24039-100-010	SMOOTH CAP	600/50
D	24039-200-020	RAISED HANDLE CAP	600/50
E	24032-000-020	WALL FITTING FOR 1" SIDE MOUNT VALVES	1200
F	24039-000-060	GASKET	2000/100
G	24032-000-100	BODY FOR 1" SIDE MOUNT ON/OFF VALVE	150
E,F,G	24032-900-000	BODY ASSY FOR 1" SIDE MOUNT ON/OFF VALVE (BODY, GASKET, WALL FITTING)	150
H	24038-000-100	BODY FOR 1" SIDE MOUNT 3-WAY DIVERTER VALVE	150

*FORWARD-THINKING
DESIGNS . . .
INNOVATIVE BATH
PRODUCTS*

CMP BATH
PRODUCTS

WHITE GOODS

SUCTIONS 58

FITTINGS 62

UNIONS & CHECK VALVES 63

BATH MANIFOLDS 64

FLEX HOSE & TUBING 65

SÖL™ SAFETY SUCTION


PRODUCT FEATURES

- 110GPM Rating with Vacuum Break
- 52GPM without Vacuum Break
- Silicone Injection Ports
- IAPMO Certified
- UL Recognized
- CSA Certified



3-11/32/92.3mm Hole Size
1/2" or 50mm Slip

SÖL
BATH COLLECTION



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
110GPM SÖL SAFETY SUCTION			
A	25216-302-000	1.5" SLIP SÖL CLOSE-FIT FLUSH SAFETY SUCTION ASSY (PICTURED)	150
A	25216-502-000	50MM SÖL CLOSE-FIT FLUSH SAFETY SUCTION ASSY	150
B	61000-506-005	COVER SCREW	150
C	25216-000-100	SUCTION COVER	300/50
—	25216-100-100	OPTIONAL 80GPM SUCTION COVER	300/50
D	25216-200-030	CLOSE-FIT WALL FITTING	200
D	25216-000-030	110 GPM WALL FITTING	
E	25216-100-302	SS FLANGE FOR SUCTION COVER, WHITE	150
E	25216-102-302	SS FLANGE FOR SUCTION COVER, CHROME (PICTURED)	150
F	25216-250-200	1.5" SLIP CLOSE-FIT BODY WITH SPACER	100
F	25216-550-200	50MM SLIP CLOSE-FIT BODY WITH SPACER	100
F	25216-100-400	STANDARD 110 GPM SUCTION BODY WITH SPACER	
G	25202-900-000	FOAM FILTER	300
—	25216-999-999	TOOL FOR SUCTION WALL FITTING	—

150 GPM SAFETY SUCTION

PRODUCT FEATURES

- 150GMP Rating with Vacuum Break
- IAPMO Certified
- UL Recognized

 3-3/8" Hole Size
2" Slip



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
150 GPM SAFETY SUCTION			
A	25202-000-000	150 GPM SAFETY SUCTION ASSEMBLY	100
B	61000-050-012	COVER SCREW	100
C	25202-000-100	SUCTION COVER	300
D	25202-000-200	2" SLIP ELBOW FITTING	60
E	25202-000-040	COMPENSATOR RING	480
F	25202-000-030	SUCTION NUT	450
—	25202-999-999	TOOL FOR SUCTION NUT	—

110 GPM LOW PROFILE SAFETY SUCTION

PRODUCT FEATURES

- 110GPM Rating with Vacuum Break
- 52GPM without Vacuum Break
- Silicone Injection Ports
- IAPMO Certified
- UL Recognized
- CSA Certified



2-5/8" Hole Size

1.5" Slip or 50mm



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
110 GPM LOW PROFILE SAFETY SUCTION			
A	25216-000-000	110 GPM LOW PROFILE SAFETY SUCTION ASSEMBLY	150
B	61000-506-025	COVER SCREW	150
C	25216-000-100	SUCTION COVER	300/50
—	25216-100-100	OPTIONAL 80 GPM SUCTION COVER	300/50
D	25216-000-030	WALL FITTING	100
D	25216-200-030	CLOSE FIT WALL FITTING FOR CLOSE FIT BODIES	200
E	25216-000-200	1.5" SLIP BODY	100
E	25216-200-200	1.5" SLIP CLOSE FIT BODY	100
E	25216-500-200	CLOSE FIT BODY 50MM SLIP	100
F	25202-900-000	FOAM FILTER FOR SAFETY SUCTION	300
—	25216-999-999	TOOL FOR SUCTION WALL FITTING	—


94 GPM SUCTION

PRODUCT FEATURES

- Three Variations Available
- UL Recognized



2-5/16" Hole Size
1.5" Slip 90° Ell



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
94 GPM SUCTION WITH ELL FITTING			
A	25206-100-000	94 GPM SUCTION WITH ELL FITTING ASSEMBLY (1.5" SLIP)	100
—	25206-500-000	94 GPM SUCTION WITH EXTENDED WALL FITTING ASSEMBLY	100
B	25205-000-000	94 GPM SUCTION WITH ADAPTER ASSEMBLY (2" SPIGOT / 1.5" SLIP)	120
B	25204-001-000*	94 GPM SUCTION WITH ADAPTER ASSEMBLY (2" SLIP)	100
C	25206-000-000	94 GPM SUCTION ASSEMBLY (1-1/2" STRAIGHT SLIP)	150
D	61000-050-012	COVER SCREW	150
E	25026-000-030	SUCTION COVER	200
E	25206-000-032	STAINLESS STEEL/CHROME FINISH SUCTION COVER	150
E	25206-000-033	STAINLESS STEEL/BRASS FINISH SUCTION COVER	200
F	25206-100-200	WALL FITTING FOR ELL FITTING AND 2" ADAPTER	150
—	25026-010-200	EXTENDED WALL FITTING FOR ELL FITTING	100
G	26207-705-930	GASKET	1500/150
H	25205-070-000	1.5" SLIP ELBOW FITTING	150
I	25523-500-010	1.5" SLIP SPIGOT ADAPTER	150
D,F,H	25206-100-150	ELBOW, WALL FITTING, & SCREW KIT (NO COVER)	—
—	25206-000-200	1.5" STRAIGHT SLIP WALL FITTING	100

ELBOWS & FITTINGS



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	FITTING SIZE	BOX QTY
ELBOWS & FITTINGS				
A	21016-000-000	1" COUPLING	1" SOCKET×1" SOCKET	500
A	21015-000-000	1.5" COUPLING	1.5" SOCKET × 1.5" SOCKET	300
B	21018-000-000	1" 90° STREET ELL	1" SOCKET × 1" SPIGOT	500
B	21018-100-000	SHORT 1" 90° STREET ELL	1" SOCKET × 1" SPIGOT	500
B	21013-000-000	1.5" 90° STREET ELL	1.5" SOCKET × 1" SPIGOT	150
C	21008-000-000	2" 90° ELL	2" SOCKET × 2" SOCKET	100
C	21013-200-000	2" 90° STREET ELL	2" SOCKET × 2" SPIGOT	100
D	21105-000-000	1.5" SWEEP 90° ELL	1.5" SOCKET × 1.5" SOCKET	100
D	21005-000-000	2" SWEEP 90° ELL	2" SOCKET × 2" SOCKET (WIDE THROAT)	50
E	21020-000-000	1" 45° ELL	1" SOCKET × 1" SOCKET	500
F	21010-000-000	1.5" 45° STREET ELL	1.5" SOCKET × 1.5" SPIGOT	200
F	21010-200-000	2" 45° STREET ELL	2" SOCKET × 2" SPIGOT	100
G	21011-000-000	LEFT 1.5" 90° DRAIN ELL	1.5" SOCKET × 1.5" SPIGOT	150
G	21012-000-000	RIGHT 1.5" 90° DRAIN ELL	1.5" SOCKET × 1.5" SPIGOT	150
H	24200-200-000	26MM WYE	26MM	150
I	21009-000-000	1" LOW ANGLE WYE	1" SOCKET	200
J	21017-000-000	REDUCER TEE	1" SOCKET × 1" SOCKET × 3/4" SOCKET/1" SPIGOT	300
K	21014-000-000	PUMP TEE	1" SOCKET × 1" SOCKET × 1.5" SPIGOT	200
L	21019-000-000	1" 3-WAY ELL	1" SOCKET × 1" SOCKET × 1" SPIGOT	350
M	24202-126-000	26MM × 3/4" TEE	26MM × 26MM × 3/4" SPIGOT	


UNIONS & CHECK VALVES



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
UNIONS			
A	21045-004-000	1" SLIP PUMP UNION	250
B	21021-000-000	1.5" SLIP PUMP UNION (NUT, SLEEVE, T-GASKET)	180
B	27239-000-900	50MM SLIP PUMP UNION (NUT, SLEEVE, T-GASKET)	180
B	21021-008-000	1.5" SLIP PUMP UNION (NUT, THICK SLEEVE, T-GASKET)	180
B	21023-000-000	2" SLIP PUMP UNION (NUT, SLEEVE, O-RING)	108
C	21021-800-000	PUMP UNION TEE 26MM × 26MM × 1.5" SPIGOT	150
—	21021-030-000	T-GASKET	2500
D	21014-100-000	1" SLIP LOW PROFILE PUMP SWEEP TEE UNION	130
D	21021-900-000	1" SLIP STANDARD PUMP SWEEP TEE UNION	150
E	21047-000-000	1.5" SOCKET INLINE UNION (NUT, SLEEVE, T-GASKET, THREADED TAILPIECE)	100
F	21046-000-000	1.5" BUTTRESS × 1.5" SOCKET UNION TAILPIECE	200
G	25300-000-070	1.5" SPLIT UNION NUT & TWO SCREWS	400/50
CHECK VALVES			
H	25062-000-000	1" SOCKET SWING CHECK VALVE	120
I	25069-000-000	1.5" SOCKET UNIONIZED CHECK VALVE (1/4 LB SPRING)	112
I	25069-100-000	1.5" SOCKET UNIONIZED CHECK VALVE (3/32 LB SPRING)	75
J	25067-000-000	1.5" SOCKET/2" SPIGOT AIR CHECK VALVE (1/4 LB SPRING)	100
K	25070-000-100	1/2" SLIP POP CHECK VALVE	400
L	21064-000-000	3/8" RIBBED BARB CHECK VALVE	1000/100
L	21064-000-010	3/8" RIBBED BARB NEOPERL CHECK VALVE BODY ONLY	1000/100
M	25066-375-000	TUBING CHECK VALVE FOR 3/8" VINYL TUBE	1000/100
M	25066-275-000	TUBING CHECK VALVE FOR 3/8" VINYL TUBE (WITH SS. CHECK BALL)	1000/100
N	21064-500-000	1/2" SLIP CHECK VALVE	1000/100
O	25060-000-000	1" SLIP CHECK VALVE	600
P	27266-000-000	1" SLIP SUCTION SAFETY VALVE (2.5 LB STAINLESS STEEL SPRING)	240
P	27267-001-000	1" SLIP SUCTION SAFETY VALVE (6 LB STAINLESS STEEL SPRING)	240

MANIFOLDS & ADAPTERS



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	FITTING SIZE	BOX/BAG
MANIFOLDS & ADAPTERS				
A	21028-000-000	8 PORT 3/8" RIBBED BARB	1" SOCKET × 1" SPIGOT × 1" SPIGOT	85
B	21155-060-000	6 PORT 3/8" RIBBED BARB	1/2" SOCKET × 1/2" SOCKET	200
C	21052-100-000	4 PORT 3/8" SMOOTH BARB	1/2" SPIGOT × BLIND	500/50
D	21162-080-000	8 PORT 3/8" RIBBED BARB	1" SPIGOT × 1" SOCKET	200
E	21162-120-000	12 PORT 3/8" RIBBED BARB	1" SOCKET × 1" SOCKET	220
F	21086-000-000	2 PORT 26MM SMOOTH BARB	1" SOCKET × 1" SOCKET	100
G	21081-900-000	4 PORT 3/8" RIBBED BARB	1" SOCKET × 1" SPIGOT, TWO PLUGS & 1" CAP	250/25
G	21081-000-000	4 PORT 3/8" RIBBED BARB	1" SOCKET × 1" SPIGOT	250/25
H	21081-060-000	6 PORT 3/8" RIBBED BARB	1" SPIGOT × 1" SOCKET	200
I	21157-040-000	4 PORT 3/8" SMOOTH BARB	1" SPIGOT (PLUGS SOLD SEPARATELY)	500
I	21159-040-000	4 PORT 3/8" SMOOTH BARB	1" SLIP (TWO PLUGS)	300/20
J	21159-050-000*	5 PORT 3/8" SMOOTH BARB	1" SLIP (TWO PLUGS)	300/20
J	21080-000-000	5 PORT 3/8" SMOOTH BARB	1" SPIGOT	500/25
K	21156-020-000*	2 PORT 3/8" SMOOTH BARB	1" SLIP (TWO PLUGS)	300/20
K	21157-020-000*	2 PORT 3/8" SMOOTH BARB	1" SPIGOT (TWO PLUGS)	300/20
L	21157-520-000	2 PORT 3/8" SMOOTH BARB	1/2" SPIGOT	1200/100
M	21033-000-000	2 PORT 3/8" RIBBED BARB	1" SPIGOT	1000/50
N	21031-030-000	1/2" SPIGOT × 3/8" RIBBED BARB	1/2" SPIGOT	1000/100
O	21043-000-000	1/2" SPIGOT × 3/8" RIBBED BARB	1/2" SPIGOT	2000/100
P	24200-300-000	1" SPIGOT × 26MM SMOOTH BARB	1" SPIGOT	600
Q	21065-000-000	3/8" SMOOTH BARB WYE	USE WITH V-JET	1000/100
R	21061-050-000	3/8" RIBBED BARB TEE	3/8" × 3/8" × 3/8" RIBBED BARB	—
S	21061-300-000	3/8" 4-WAY BARB TEE	3/8" × 3/8" × 3/8" × 3/8" RIBBED BARB	—
T	21028-000-010	3/8" BARB PLUG	3/8" BARB	85
U	21131-100-010	1/2" SOCKET PLUG	1/2" SOCKET	2000/200
U	21022-000-000	1" SOCKET PLUG	1" SOCKET	500/25
U	25577-950-020	1-1/2" SOCKET PLUG	1-1/2" SOCKET	600/50
V	24200-100-000	26MM CAP	26MM	1200/100
V	21081-060-020	1" CAP	1"	1000/100

FLEX HOSE & TUBING



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
FLEX HOSE & TUBING			
A	22143-500-010	10FT AIR BUTTON TUBING, CLEAR VINYL (1/8" × 1/4")	EACH
A	22143-500-000	500FT AIR BUTTON TUBING, CLEAR VINYL (1/8" × 1/4")	EACH
B	22005-100-000	100FT FLEX HOSE (1/2")	EACH
B	22010-050-000	50FT FLEX HOSE (1")	EACH
B	22015-050-000	50FT FLEX HOSE (1-1/2")	EACH
B	22020-050-000	50FT FLEX HOSE (2")	EACH
C	22145-400-100	400FT WHITE VINYL TUBING (3/8" × 9/16")	EACH
C	22180-100-000	100FT WHITE VINYL TUBING (26MM)	EACH
D	24200-400-000	CLAMP FOR 26MM TUBING	1000
D	24375-000-000	CLAMP FOR 3/8" TUBING	5000/500





BATH ACCESSORIES

BATHTUB FEET 68

SHOWER ACCESSORIES 69

AROMA & CHROMATHERAPY 70

ADA GRAB BARS & SHOWER SEATS 72

SHOWER CURTAINS 73

SOLID BRASS BATHTUB FEET

Classic, elegant style for bathroom decor; built for strength and durability.

PRODUCT FEATURES

- Solid Brass Feet
- Adjustable Leveling Foot
- Available in Five Popular Finishes



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
SOLID BRASS BATHTUB FEET			
A	27264-202-000	POLISHED CHROME BATHTUB FEET	4
B	27264-200-000	POWDER COATED WHITE BATHTUB FEET	4
—	27264-203-000	POLISHED BRASS BATHTUB FEET	4
—	27264-213-000*	OIL-RUBBED BRONZE BATHTUB FEET*	4
—	27264-208-000	BRUSHED NICKEL BATHTUB FEET	4

*NON-STOCK SPECIAL ORDER ONLY ITEM

SHOWER ACCESSORIES

CAULK-FREE SHOWER DRAIN

PRODUCT FEATURES

- Brass Body with Chrome Cover
- Gasket Seal, No Caulk Required
- UPC Approved
- 2" IPS Connection



SHOWER SOAP TRAY

PRODUCT FEATURES

- Includes Clear Tray & Wall Housing
- Stainless Steel or Powder Coating Housing



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
SHOWER ACCESSORIES			
A	27253-002-000	SHOWER DRAIN, BRASS BODY/CHROME COVER	40
B	27254-002-000	SHOWER SOAP TRAY WITH STAINLESS STEEL WALL HOUSING	108
C	27254-102-000	SHOWER SOAP TRAY WITH POWDER COATED WHITE WALL HOUSING	108
D	27254-009-020	REPLACEMENT CLEAR SOAP TRAY	400

AROMATHERAPY

LOW PROFILE AROMA THERAPY INJECTOR

PRODUCT FEATURES

- Low Profile Installation
- Bead or Strip Dispenser Compatible
- 1" Slip × 1" Slip



SCENTED BEAD BASKETS

PRODUCT FEATURES

- Compatible with all CMP Aroma Therapy Injectors
- Nine Scent Options, or Empty Basket Available



ORDERING GUIDE


REF	CMP P/N	DESCRIPTION	BOX QTY
AROMA THERAPY			
A	24040-100-000	LOW PROFILE STRIP DISPENSER ASSEMBLY	120
B	24040-000-000	LOW PROFILE BEAD DISPENSER ASSEMBLY	120
—	24040-000-030	LOW PROFILE CAP ONLY	500
—	24040-000-100	LOW PROFILE BEAD BODY ASSEMBLY (BODY, NUT, GASKET, WALL FITTING)	100
—	24040-100-100	LOW PROFILE STRIP BODY ASSEMBLY (BODY, NUT, GASKET, WALL FITTING)	100
C	23040-110-000	AROMA THERAPY INJECTOR BASKET WITH BEADS, ORANGE	10
C	23040-120-000	AROMA THERAPY INJECTOR BASKET WITH BEADS, VANILLA	10
C	23040-140-000	AROMA THERAPY INJECTOR BASKET WITH BEADS, EUCALYPTUS	10
C	23040-400-000	AROMA THERAPY INJECTOR BASKET WITH BEADS, ROSE	10
C	23040-600-000	AROMA THERAPY INJECTOR BASKET WITH BEADS, CITRUS	10
C	23040-700-000	AROMA THERAPY INJECTOR BASKET WITH BEADS, COOL MINT	10
C	23040-900-000	AROMA THERAPY INJECTOR BASKET WITH BEADS, MELON	10
C	23040-130-000	AROMA THERAPY INJECTOR BASKET WITH BEADS, WILD BERRY	10
C	23040-800-000	AROMA THERAPY INJECTOR BASKET WITH BEADS, LAVENDER	10
C	23040-000-020	AROMA THERAPY INJECTOR BASKET (NO BEADS)	10

CHROMATHERAPY

SÔL BATH LIGHT

PRODUCT FEATURES



- 304 Stainless Steel Trim
- Flush Installation
- Complements other SÔL Products




SÔL
BATH COLLECTION

See the complete
SÔL series on page 10

5" BATH LIGHT



3" BATH LIGHT



LIGHT ACCESSORIES



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
CHROMATHERAPY			
A	25234-000-000	SÔL FLUSH LED LIGHT CLEAR LENS	100
A	25234-002-005	SÔL FLUSH LED LIGHT CHROME RING	100
A	25234-000-003	SÔL FLUSH LED LIGHT WASHER	100
A	25234-000-002	SÔL FLUSH LED LIGHT NUT	100
B	25242-000-000	5" LIGHT KIT (LENS, NUT, GASKET, REFLECTOR HOUSING)	50
C	25242-002-000	5" LIGHT KIT, STAINLESS STEEL (LENS, NUT, GASKET, REFLECTOR HOUSING)	50
D	25241-000-000	3" LIGHT KIT (LENS, NUT, GASKET, REFLECTOR HOUSING)	100
—	25241-000-100	LENS, GASKET, & NUT FOR 3" LIGHT	100
—	25241-000-050	3" REFLECTOR HOUSING	100
E,F	25242-000-061	5" RED & BLUE LENS COVER KIT	250/25
E	25242-006-101	5" RED LIGHT LENS COVER	50
F	25242-007-101	5" BLUE LIGHT LENS COVER	50
G	25242-009-101	5" GREEN LIGHT LENS COVER	50
E,F	25241-000-160	3" RED & BLUE LENS COVER KIT	100
H	25239-000-000	LIGHT BULB, GE 912	10
I	25241-000-300	BATH LIGHT WIRE HARNESS WITH AMP CONNECTOR	100
—	25241-000-200	BATH LIGHT WIRE HARNESS "PIGTAIL" ONLY	600
—	25241-000-500	MOLEX CONNECTOR	200

ADA GRAB BARS & SHOWER SEATS

SHOWER SEATS

PRODUCT FEATURES

- White Cushion Seat
- "L" Seat or Bench Style
- Right or Left Configuration Available
- White or Wood Grain Phenolic*



ADA GRAB BARS

PRODUCT FEATURES

- 304 Stainless Steel Grab Bars
- Satin Stainless or White Powder Coated
- 1-1/2" Diameter Concealed Screws
- Bulk Packaging 2,4, or 5 each Depending on Size/Shape
- Straight, "L" Shape, or "U" Shape Available



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
ADA GRAB BARS & SHOWER SEATS			
A	27250-210-000	RIGHT HAND "L" SEAT, 27" × 22-1/2"	1
A	27250-110-000	LEFT HAND "L" SEAT, 27" × 22-1/2"	1
A	27250-200-000	RIGHT HAND "L" SEAT, 32" × 22-1/2"	1
A	27250-100-000	LEFT HAND "L" SEAT, 32" × 22-1/2"	1
—	27250-000-000	BENCH SEAT, 18" × 15"	1
B	27251-XXX-XXX	GRAB BARS - CONTACT CMP FOR COMPLETE LIST OF SIZES AND SHAPES	—
C	27251-100-000	OPTIONAL THREADED FLANGE FOR GRAB BARS	400

*NON-STOCK SPECIAL ORDER ONLY ITEM

SHOWER RODS & CURTAINS

PRODUCT FEATURES

- Heavy Duty PVC Material Curtains
- Anti-Bacterial Additive in each Curtain
- Standard or Weighted* Available
- 1" OD Shower Rods with Two Flanges & Four Screws
- **Shower Hooks & Rods are Sold Separately**



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	HOOKS RE-REQUIRED.	BOX QTY
SHOWER RODS & CURTAINS				
A	27252-360-000	36" x 72" SHOWER CURTAIN	6	24
A	27252-480-000	48" x 72" SHOWER CURTAIN	8	24
A	27252-540-000	54" x 72" SHOWER CURTAIN	10	20
A	27252-720-000	72" x 72" SHOWER CURTAIN	12	12
A	27252-720-200	72" x 72" WEIGHTED SHOWER CURTAIN*	12	12
A	27252-480-200	48" x 72" WEIGHTED SHOWER CURTAIN*	8	24
B	27252-000-000	SHOWER CURTAIN HOOK	—	100
C	27252-360-100	36" SHOWER ROD, 1" O.D..	—	20
C	27252-480-100	48" SHOWER ROD, 1" O.D.	—	20
C	27252-600-100	60" SHOWER ROD, 1" O.D.	—	20

*NON-STOCK SPECIAL ORDER ONLY ITEM

PART#	PG	PART#	PG	PART#	PG	PART#	PG
21005-000-000	62	21047-000-000	63	23037-030-000	48	23070-200-000	25
21008-000-000	62	21052-100-000	64	23038-000-000	48	23070-200-200	25
21009-000-000	62	21064-000-000	63	23038-010-000	48	23071-000-000	24
21010-000-000	62	21064-000-010	63	23039-000-010	48	23071-000-100	24
21010-200-000	62	21064-500-000	63	23039-002-000	48	23071-000-200	24
21011-000-000	62	21065-000-000	64	23039-010-000	48	23071-030-000	24
21012-000-000	62	21080-000-000	64	23039-020-000	48	23072-000-000	24, 25
21013-000-000	62	21081-000-000	64	23039-025-000	48	23400-400-030	33
21013-200-000	62	21081-060-000	64	23040-000-020	70	23400-400-060	33
21014-000-000	42, 44	21081-060-020	64	23040-100-000	70	23400-500-000	33
21014-100-000	63	21081-900-000	64	23040-110-000	70	23400-600-000	33
21015-000-000	62	21086-000-000	64	23040-140-000	70	23400-800-010	16
21016-000-000	62	21105-000-000	62	23040-400-000	70	23400-800-030	16
21017-000-000	62	21131-100-010	64	23040-600-000	70	23400-800-100	16
21018-000-000	62	21155-060-000	64	23040-700-000	70	23400-840-040	16
21018-100-000	62	21156-020-000	64	23040-900-000	70	23400-900-000	31
21019-000-000	62	21157-020-000	64	23061-000-000	19, 26	23400-900-030	31
21020-000-000	62	21157-040-000	64	23061-000-100	19	23400-900-050	31
21021-000-000	42, 44	21157-520-000	64	23061-000-133	19	23400-900-060	31
21021-008-000	63	21159-040-000	64	23061-000-200	19	23400-900-080	16
21021-030-000	63	21159-050-000	64	23061-002-000	19	23400-900-100	31
21021-800-000	63	21162-080-000	64	23061-010-000	19	23400-940-040	31
21021-900-000	63	21162-120-000	64	23061-132-002	19	23400-950-060	31
21022-000-000	19, 64	22005-100-000	65	23061-132-003	19	23400-950-080	16
21023-000-000	63	22010-050-000	65	23061-999-999	19	23400-999-999	31
21028-000-000	64	22015-050-000	65	23062-000-100	26	23401-900-000	31
21031-030-000	64	22020-050-000	65	23062-000-200	26	23401-900-100	31
21033-000-000	64	22143-500-000	65	23062-020-000	26	23422-000-010	30
21034-600-000	33	22143-500-010	65	23062-050-000	26	23422-000-040	30
21039-000-900	45	22145-400-100	65	23062-999-999	26	23422-000-050	30
21042-600-000	33	22180-100-000	65	23070-000-000	25	23422-500-000	30
21042-900-000	33	23035-000-000	48	23070-000-100	25	23422-500-100	30
21043-000-000	64	23036-000-000	48	23070-000-200	25	23422-500-500	30
21045-004-000	63	23037-000-000	48	23070-030-000	25	23422-999-999	30
21046-000-000	63	23037-010-000	48	23070-130-000	25	23432-000-010	28, 29

PART#	PG	PART#	PG	PART#	PG	PART#	PG
23432-000-040	28, 29	24100-000-040	22	24200-400-000	65	24601-002-030	11
23432-000-050	28, 29	24100-000-052	22	24300-000-070	23	24601-002-040	11
23432-500-000	28	24100-000-070	22	24300-100-000	23	25013-000-000	53
23432-500-100	28	24100-000-080	38	24300-100-100	23	25013-000-030	53
23432-500-500	28	24100-000-090	13, 38	24300-200-000	23	25013-000-100	53
23432-700-000	29	24100-000-094	15	24300-299-999	23	25013-000-110	53
23432-700-100	29	24100-000-100	22	24300-300-000	23	25013-000-200	53
23432-700-500	29	24100-000-200	13, 22	24300-799-999	23	25013-000-300	52
23432-999-999	28, 29	24100-000-220	13, 15	24375-000-000	65	25013-634-500	53
23500-300-000	32	24100-000-300	22	24400-000-000	21	25013-652-800	53
24000-000-200	13, 22	24100-000-400	22	24400-000-004	21	25014-000-000	53
24000-000-220	13, 15	24100-000-500	22	24400-000-005	21	25014-000-100	52
24001-000-200	15, 22	24100-000-600	12	24400-000-006	21	25014-000-200	53
24001-000-201	38	24100-000-603	12	24400-000-007	21	25014-002-000	53
24031-000-100	54	24100-000-700	12	24400-000-008	21	25014-050-000	51, 52
24031-100-000	54	24100-000-800	22	24400-000-011	21	25014-800-000	50
24031-800-100	54	24100-000-900	13	24400-100-000	21	25015-000-000	52
24032-000-020	55	24100-000-910	13	24400-999-999	21	25015-000-100	53
24032-000-100	55	24100-002-603	12	24401-100-000	21	25015-000-200	52
24032-100-000	55	24100-002-700	12	24500-900-000	32	25015-002-000	52
24032-900-000	55	24100-012-600	12	24500-999-999	32	25015-100-000	52
24038-000-100	55	24100-100-100	22	24510-900-000	32	25024-000-000	52
24038-100-000	55	24100-500-000	14	24522-000-000	32	25024-000-100	52
24039-000-030	54	24100-500-030	14	24530-000-000	32	25024-000-132	52
24039-000-060	54, 55	24100-500-040	14	24600-000-000	17	25024-000-133	52
24039-000-100	54	24100-500-070	14	24600-000-010	11, 17	25024-000-200	52
24039-100-000	54	24100-500-100	14	24600-000-020	11, 17	25024-002-000	52
24039-100-010	54, 55	24100-900-000	22, 25	24600-000-030	17	25024-003-000	52
24039-200-020	54, 55	24100-999-999	22	24600-000-040	17	25025-000-000	51
24040-000-000	70	24101-000-200	15, 22	24600-000-100	17	25025-000-110	51
24040-000-030	70	24101-000-220	12, 15	24600-000-200	11	25025-002-000	51
24040-000-100	70	24101-000-600	12	24600-399-999	17	25025-003-000	51
24040-100-000	70	24200-100-000	64	24600-999-999	17	25026-000-030	61
24040-100-100	70	24200-200-000	62	24601-000-001	11	25040-019-050	51
24100-000-010	15	24200-300-000	64	24601-002-000	11	25060-000-000	63

PART#	PG	PART#	PG	PART#	PG	PART#	PG
25062-000-000	63	25206-100-200	61	25522-256-266	48	27239-100-100	45
25066-275-000	63	25206-500-000	61	25523-500-010	61	27239-120-000	45
25066-375-000	63	25216-000-000	60	25577-950-020	64	27239-120-100	45
25067-000-000	63	25216-000-030	60	26200-230-601	19	27250-000-000	72
25069-000-000	63	25216-000-100	58, 60	26203-202-215	33	27250-100-000	72
25069-100-000	63	25216-000-200	60	26204-102-820	53	27250-110-000	72
25070-000-100	63	25216-100-100	58, 60	26204-653-820	51	27250-200-000	72
25083-000-000	51	25216-100-302	58	26205-554-230	26, 52	27250-210-000	72
25083-000-040	51	25216-200-030	58, 60	26205-804-330	24, 25	27251-100-000	72
25083-000-041	51	25216-200-200	60	26207-705-930	61	27252-000-000	73
25083-000-110	51	25216-250-200	58	27112-000-000	19	27252-360-000	73
25083-002-000	51	25216-300-000	58	27210-000-100	43, 45	27252-360-100	73
25083-003-000	51	25216-500-000	58	27210-060-000	43	27252-480-000	73
25083-100-000	51	25216-500-200	60	27210-080-000	43	27252-480-100	73
25083-200-000	51	25216-550-200	58	27210-090-000	43	27252-480-200	73
25083-200-040	51	25216-999-999	60	27210-110-000	43	27252-540-000	73
25083-300-100	51	25234-000-000	71	27210-130-000	43	27252-600-100	73
25083-800-000	50	25234-000-002	71	27213-050-000	42	27252-720-000	73
25083-802-000	50	25234-000-003	71	27213-070-000	42	27252-720-200	73
25202-000-000	59	25234-002-005	71	27213-090-000	42	27253-002-000	69
25202-000-030	59	25239-000-000	71	27213-130-000	42	27254-002-000	69
25202-000-040	59	25241-000-000	71	27216-050-000	42	27254-009-020	69
25202-000-100	59	25241-000-050	71	27216-070-000	42	27254-102-000	69
25202-000-200	59	25241-000-100	71	27217-090-000	42	27264-200-000	68
25202-900-000	58, 60	25241-000-160	71	27217-130-000	42	27264-202-000	68
25202-999-999	59	25241-000-200	71	27239-000-900	43, 63	27264-203-000	68
25204-001-000*	61	25241-000-300	71	27239-020-000	44	27264-208-000	68
25205-000-000	61	25241-000-500	71	27239-032-000	44	27264-213-000	68
25205-070-000	61	25242-000-000	71	27239-038-000	44	27265-204-000	42, 45
25206-000-000	61	25242-000-061	71	27239-046-000	44	27266-000-000	63
25206-000-032	61	25242-002-000	71	27239-058-000	44	27267-001-000	63
25206-000-033	61	25242-006-101	71	27239-070-000	44	27270-000-000	27
25206-000-200	61	25242-007-101	71	27239-075-000	45	27270-000-070	18
25206-100-000	61	25242-009-101	71	27239-075-100	45	27270-100-050	27
25206-100-150	61	25300-000-070	63	27239-100-000	45	27270-100-200	27

PART#	PG
27270-200-000	27
27270-300-040	20
27270-399-999	20
27270-400-000	20
27270-400-100	20
27270-400-500	20
27270-900-000	18
27270-900-050	18
27270-900-060	18
27270-900-100	18
27270-900-999	18
27270-999-999	18
27272-300-100	20
27272-300-120	20
27272-300-200	20
27320-400-000	47
27320-400-100	47
27320-700-000	47
27320-700-100	47
27320-900-000	47
42009-200-100	43, 45
61000-050-012	59, 61
61000-506-005	58
61000-506-025	60

ISO CERTIFICATION



CUSTOM MOLDED PRODUCTS, LLC announces that its production facility, Custom Molded Products, LLC, a wholly-owned subsidiary of CMP, has been assessed and registered by National Quality Assurance Ltd. against the provisions of:

ISO 9001:2008

The facility is thereby an ISO certified and NQA registered company. This registration is subject to the company maintaining a Quality Management System to the above standard, which will be monitored by NQA.

Please consult www.snqa.com.cn for further information.

Certificate Number:	33596
Date:	08 January 2013
Valid Until:	08 January 2016
EAC Code:	14

TERMS & CONDITIONS

- CONTACT** For written communication, including payment of invoices, please send to:
Custom Molded Products, LLC
36 Herring Road
Newnan, GA 30265
Phone: 770-632-7112 Fax: 770-632-7115
- ORDERING** Customers should place orders directly with CMP at the phone or fax numbers presented above. To ensure prompt and proper shipment, please order by using complete part numbers and descriptions. All telephone orders must be followed up with a written confirmation purchase order.
Our catalog and price list contain box/bag quantities for most parts. Currently CMP does not apply a surcharge for broken carton orders. Please help us maintain this policy by ordering in full carton quantities.
Thank you for your cooperation!
- TERMS** Payment for products is C.O.D. Net terms may be established upon completion of a satisfactory credit check. Past due accounts will be C.O.D. Customers with unpaid balances will be considered delinquent and will be subject to a service charge of 1-1/2% per month on the past due amount.
- FREIGHT** Pricing and terms are FOB–Newnan, Georgia unless otherwise specified. Freight charges are Pre-Pay and Add unless otherwise specified. All claims for lost or damaged freight must be made by the purchaser and directly to the freight carrier within the carrier's established time limit.
- INVOICES** Please pay by invoice per the terms on the sales invoice. There will be a \$20.00 minimum service charge on all NSF or returned checks.
- BILLING
ERRORS** Appropriate debits or credits will be applied to accounts or invoices that are in error. Please contact Custom Molded Products if you have questions regarding your invoice or if you think your account is in error.
- RETURNED
GOODS** Merchandise will not be accepted for return without a Returned Materials Authorization (RMA) number issued by CMP, which should be marked on all returned cartons. Returned shipments not having prior authorization will be refused. All returned merchandise must be new and unused with the exception of defective goods. A 25% restocking charge will be applied against any credit issued for salable merchandise. All goods must be returned freight pre-paid within 30 days after receipt of shipment.
- NOTICE** CMP reserves the right to change at any time and without notice colors, materials, specifications, part numbers and prices to any products appearing in this publication.

CMP LIMITED WARRANTY

Custom Molded Products, LLC takes great pride in the quality products that it manufactures. The company maintains high standards for the materials and workmanship that it invests in its products. Accordingly, Custom Molded Products makes this express Limited Warranty with respect to products manufactured solely by Custom Molded Products, LLC, as follows:

Custom Molded Products warrants its products to be free of defects in material and workmanship for a period of one (1) year from the date of original purchase of the Custom Molded Products product. This Limited Warranty will be applicable only if the product manufactured by Custom Molded Products is the sole and exclusive cause of a defect which is covered by this Limited Warranty. Your sole and exclusive remedy against Custom Molded Products, LLC, arising from the purchase or use of a product manufactured by Custom Molded Products, LLC is limited to the repair or supply of a replacement product in substitution of the product which is determined to be defective (after examination, verification and approval by Custom Molded Products, LLC) with a product of equivalent quality. All other compensation of whatever nature is hereby expressly excluded. This Limited Warranty begins on the date of first purchase of a product from Custom Molded Products, LLC

The Limited Warranty is extended to the party making the original purchase of products from Custom Molded Products, LLC and no warranty is made nor authorized to be made assignable on resale by the original purchaser of products from Custom Molded Products, LLC The repair or replacement product issued by Custom Molded Products, LLC pursuant to this Limited Warranty shall be warranted for only the unexpired portion of the original Limited Warranty.

This Limited Warranty does not apply to component parts manufactured by others or for damage to products manufactured by Custom Molded Products, LLC if such damage is caused by component parts manufactured by others. For component products manufactured by others the warranty established by that respective manufacturer, if any, will be applicable.

THIS LIMITED WARRANTY DOES NOT COVER:

- Costs incurred in the shipment or cartage, removal and/or re-installation (including but not limited to labor costs) with respect to the replacement product made available by Custom Molded Products, LLC pursuant to this Limited Warranty.
- Damage or improper operation of a product governed by this Limited Warranty to the extent same is caused by customer abuse, misuse, negligence, or failure to follow installation or operation instructions.
- Use for which the product is not designed.
- Fire, explosion, weather conditions or natural disasters.
- Faulty or improper installation.
- Ordinary wear and tear.
- Damage caused by negligent or improper maintenance procedures and other causes not specified, by beyond the control of Custom Molded Products, LLC
- Improper packaging, repackaging or damage incurred in shipping.

In order for this Limited Warranty to be effective you must:

- Be the original purchaser of the product from Custom Molded Products, LLC
- Have not structurally modified, misused or misapplied the product manufactured by Custom Molded Products
- Have maintained the Custom Molded Products product in accordance with the instructions from Custom Molded Products, LLC or as described in maintenance materials provided by Custom Molded Products, LLC to you
- Have complied with all terms for the payment of the Custom Molded Products product
- Made your claim in writing to Custom Molded Products within the time provided and in accordance with the terms of this Limited Warranty.

CMP LIMITED WARRANTY

THERE ARE NO WARRANTIES APPLICABLE TO PRODUCTS MANUFACTURED BY CUSTOM MOLDED PRODUCTS EXCEPT AS EXPRESSLY STATED HEREIN AND THIS WARRANTY IS IN SUBSTITUTION FOR AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

UNDER NO CIRCUMSTANCES SHALL CUSTOM MOLDED PRODUCTS BE LIABLE FOR ANY LOSS OR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGE OR COSTS. CUSTOM MOLDED PRODUCTS SHALL NOT BE LIABLE FOR ANY LOSS OF USE, INCOME OR PROFIT, DAMAGE TO OTHER PROPERTY, ATTORNEY'S FEES OR THIRD PERSON CLAIMS NOT WITHSTANDING A PRIOR NOTICE TO THAT EFFECT FROM THE BUYER OR UNDER ANY OTHER CIRCUMSTANCES.

CUSTOM MOLDED PRODUCTS SHALL HAVE NO LIABILITY TO THE BUYER AND SHALL HAVE NO RESPONSIBILITY FOR THE COSTS OF LABOR, TRANSPORTATION OR OTHER COST INCURRED IN THE REMOVAL AND/OR INSTALLATION OF PRODUCTS MANUFACTURED BY CUSTOM MOLDED PRODUCTS COVERED BY THIS WARRANTY.

THE SOLE AND EXCLUSIVE REMEDY FOR CUSTOM MOLDED PRODUCTS' LIABILITY OF ANY KIND AND THE SOLE AND EXCLUSIVE REMEDY OF THE BUYER, WHETHER IN LAW OR IN EQUITY FOR A BREACH BY CUSTOM MOLDED PRODUCTS OF ANY AND ALL WARRANTIES SHALL BE LIMITED TO THE REPAIR OF, OR AT CUSTOM MOLDED PRODUCTS' OPTION, THE REPLACEMENT OF PRODUCTS MANUFACTURED BY CUSTOM MOLDED PRODUCTS WHICH ARE COVERED BY THIS WARRANTY.

This warranty is valid only in the United States of America.

TIME LIMIT ON COMMENCING LEGAL ACTION

It is agreed that you have 30 days from the accrual of a claim to inform CUSTOM MOLDED PRODUCTS, LLC by registered mail with acknowledgment of receipt. It is agreed that you have one year from the accrual of a claim to commence any legal action arising from the purchase of a product manufactured by CUSTOM MOLDED PRODUCTS, LLC

This Limited Warranty shall be governed by and construed in accordance with laws of the State of Georgia, except as to its principles of conflicts of laws, and CUSTOM MOLDED PRODUCTS, LLC and you irrevocably submit to the jurisdiction of the State of Georgia and the venue of Coweta County in any action brought by the parties hereto concerning this Limited Warranty or the performance by CUSTOM MOLDED PRODUCTS, LLC thereunder.

For communication related to replacement products or other issues respecting this Limited Warranty, please contact:

Custom Molded Products, LLC
36 Herring Road, Newnan, Georgia 30265
Phone: 770.632.7112 FAX: 770.632.7115

[illegible]

[illegible]

THE PREMIER SUPPLIER OF POOL, SPA & BATH COMPONENTS

Pool, Spa and Bath industry professionals around the world all depend on CMP. If you are a spa designer, pool builder, bath manufacturer or retail store owner, you can depend on CMP products, service and support. Because when the difference is in the details, everything matters®.

CMP® everything matters.

www.c-m-p.com
1-800-733-9060
CS@c-m-p.com

36 HERRING ROAD, NEWNAN, GA 30265